

EE Program Publications 2016 - 2021

Book Sections

- [1]. Abouelela, M., *Power Electronics for Practical Implementation of PV MPPT*, in *Modern Maximum Power Point Tracking Techniques for Photovoltaic Energy Systems*2020, Springer. p. 65-105.
- [2]. Al-Shaalan, A.M., *Reliability Evaluation of Power Systems*, in *System Reliability*2019, IntechOpen.
- [3]. Saleem, M.K., M.A. Alkanhal, and H. Vettikaladi, *Wide-Angle Beam Scanning Antenna at 79 GHz for Short-Range Automotive Radar Applications*, in *Antenna Fundamentals for Legacy Mobile Applications and Beyond*2018, Springer. p. 283-303.
- [4]. Saleem, M.K. and M.A. Alkanhal, *Millimeter-Wave Pattern Reconfigurable Antenna*, in *Antenna Fundamentals for Legacy Mobile Applications and Beyond*2018, Springer. p. 265-282.
- [5]. Sethi, W.T., et al., *State-of-the-art antenna technology for cloud radio access networks (C-RANs)*, in *Cloud Computing-Architecture and Applications*2017, Jaydip Sen, IntechOpen.
- [6]. Sethi, W., et al., *State of the art antenna technology for Cloud Radio Access Networks*, in *Cloud Computing*2017, Tech publisher.
- [7]. Alrezj, O.A., et al., *Pre-processing to Enhance the Quantitative Analysis of Glucose from NIR and MIR Spectra*, in *EMBEC & NBC 2017*2017, Springer. p. 41-44.
- [8]. Haraz, O., et al., *High-gain broadband antennas for 60-GHz short-range wireless communications*, in *Wideband, Multiband, and Smart Reconfigurable Antennas for Modern Wireless Communications*2016

Journal Papers

Year 2021

- [1]. Nizam-Uddin, N., et al., Towards an efficient system for hyperthermia treatment of breast

- tumors. *Biomedical Signal Processing and Control*, 2022. 71: p. 103084.
- [2]. Zou, K., et al., Tunable optical second-order Volterra nonlinear filter using wave mixing and delays to equalize a 10–20 Gbaud 4-APSK channel. *Optics Letters*, 2021. 46(6): p. 1325-1328.
 - [3]. Zhao, Z., et al., Modal coupling and crosstalk due to turbulence and divergence on free space THz links using multiple orbital angular momentum beams. *Scientific Reports*, 2021. 11(1).
 - [4]. Tareq, Q., et al., Performance of Injection-Locked Quantum-Dash MMW Source Under Clear and Dusty Weather Conditions. *IEEE Photonics Journal*, 2021. 13(3): p. 1-9.
 - [5]. Tareq, Q., et al., Hybrid 28 GHz MMW over fiber-wireless QPSK transmission system based on mid L-band external injection-locked quantum-dash laser comb source. *Optical Fiber Technology*, 2021. 64.
 - [6]. Song, H., et al., Simultaneous turbulence mitigation and channel demultiplexing using a single multi-plane light convertor for a free-space optical link with two 100-Gbit/s OAM channels. *Optics Communications*, 2021. 501: p. 127359-127359.
 - [7]. Sethi, W.T., et al., mmW Rotman Lens-Based Sensing: An Investigation Study. *Sensors*, 2021. 21(4): p. 1163.
 - [8]. Sethi, W.T., et al., Thermoelectric Sensor Coupled Yagi–Uda Nanoantenna for Infrared Detection. *Electronics*, 2021. 10(5): p. 527.
 - [9]. Rjeb, A., et al., Inverse Hyperbolic Tangent Fiber for OAM Mode/Mode-Group Division Multiplexing Optical Networks. *IEEE Journal of Quantum Electronics*, 2021. 57(4).
 - [10]. Ragheb, A.M., et al., Extended L-Band InAs/InP Quantum-Dash Laser in Millimeter-Wave Applications. *Photonics*, 2021. 8(5): p. 167.
 - [11]. Ragheb, A.M., W.S. Saif, and S.A. Alshebeili, ML-Based Identification of Structured Light Schemes under Free Space Jamming Threats for Secure FSO-Based Applications. *Photonics*, 2021. 8(4): p. 129.
 - [12]. Pang, K., et al., Adiabatic Frequency Conversion Using a Time-Varying Epsilon-Near-Zero Metasurface. *Nano Letters*, 2021. 21(14): p. 5907-5913.
 - [13]. Marey, M., et al., Iterative Modulation Classification Algorithm For Two-Path Successive Relaying Systems. *IEEE Wireless Communications Letters*, 2021.
 - [14]. Liu, C., et al., Tunable Doppler shift using a time-varying epsilon-near-zero thin film near 1550 nm. *Optics Letters*, 2021. 46(14): p. 3444-3447.
 - [15]. Khan, M., et al., Bidirectional MMWoF-wireless convergence system based on a 1610 nm L-band quantum-dash laser. *Optics Express*, 2021. 29(17): p. 27493-27507.

- [16]. Emara, H.M., et al., Deep convolutional neural networks for COVID-19 automatic diagnosis. Microscopy Research and Technique, 2021.
- [17]. Emara, H.M., et al., Efficient Frameworks for EEG Epileptic Seizure Detection and Prediction. Annals of Data Science, 2021.
- [18]. Emara, H.M., et al., Hilbert Transform and Statistical Analysis for Channel Selection and Epileptic Seizure Prediction. Wireless Personal Communications, 2021. 116(2021): p. 3371–3395.
- [19]. El-Gindy, S.A.-E., et al., Efficient communication and EEG signal classification in wavelet domain for epilepsy patients. Journal of Ambient Intelligence Humanized Computing, 2021. 2021: p. 1-16.
- [20]. Du, J., et al., Single-pixel identification of 2-dimensional objects by using complex Laguerre–Gaussian spectrum containing both azimuthal and radial modal indices. Optics Communications, 2021. 481: p. 126557-126557.
- [21]. Altowaijri, A.H., et al., A Privacy-Preserving IoT-Based Fire Detector. IEEE Access, 2021: p. 1-1.
- [22]. Albishi, A.M., S.A. Alshebeili, and O.M. Ramahi, Three-Dimensional Split-Ring Resonators based Sensors for Fluid Detection. IEEE Sensors Journal, 2021.

Year 2020

- [1]. Zou, K., et al., *Higher-order QAM data transmission using a high-coherence hybrid Si/III-V semiconductor laser*. Opt. Lett., 2020. 45: p. 1499-1502.
- [2]. Zou, K., et al., Kramers–Kronig detection of four 20 Gbaud 16-QAM channels using Kerr combs for a shared phase estimation. Opt. Lett., 2020. 45: p. 1794-1797.
- [3]. Zhao, Z., et al., Dynamic spatiotemporal beams that combine two independent and controllable orbital-angular-momenta using multiple optical-frequency-comb lines. Nature Communications, 2020. 11(1): p. 4099-4099.
- [4]. Zhang, R., et al., Simultaneous turbulence mitigation and channel demultiplexing for two 100 Gbit/s orbital-angular-momentum multiplexed beams by adaptive wavefront shaping and diffusing. Opt. Lett., 2020. 45: p. 702-705.
- [5]. Zhang, R., et al., Utilizing Adaptive Optics to Mitigate Intra-Modal-Group Power Coupling of Graded-Index Few-Mode Fiber in a 200-Gbit/S Mode-Division-Multiplexed Link. Optics Letters, 2020. 45: p. 3577-3580.
- [6]. Umair, M., et al., Transverse electric surface waves in ferrite medium surrounded by plasma layers. Journal of the European Optical Society-Rapid Publications, 2020. 16(1): p. 1-6.

- [7]. Umair, M., et al., Characteristics of Surface Plasmon Polaritons in Magnetized Plasma Film Walled by Two Graphene Layers. *Journal of Nanoelectronics and Optoelectronics*, 2020. 15(5): p. 574-579.
- [8]. Song, H., et al., Utilizing phase delays of an integrated pixel-array structure to generate orbital-angular-momentum beams with tunable orders and a broad bandwidth. *Opt. Lett.*, 2020. 45: p. 4144-4147.
- [9]. Song, H., et al., Experimental Mitigation of Atmospheric Turbulence Effect Using Pre-Signal Combining for Uni- and Bi-Directional Free-Space Optical Links With Two 100-Gbit/s OAM-Multiplexed Channels. *Journal of Lightwave Technology*, 2020. 38: p. 82-89.
- [10]. Song, H., et al., Demonstration of using two aperture pairs combined with multiple-mode receivers and MIMO signal processing for enhanced tolerance to turbulence and misalignment in a 10 Gbit/s QPSK FSO link. *Opt. Lett.*, 2020. 45: p. 3042-3045.
- [11]. Song, H., et al., "Hiding" a low-intensity 50 Gbit/s QPSK free-space OAM beam using an orthogonal coaxial high-intensity 50 Gbit/s QPSK beam. *Appl. Opt.*, 2020. 59: p. 7448-7454.
- [12]. Shukrullah, S., et al., Experimental and Statistical Validation of Data on Mesh-Coupled Annular Distributor Design for Swirling Fluidized Beds. *Processes*, 2020. 8(5): p. 632.
- [13]. Shukrullah, S., et al., Catalytic and Non-Catalytic Treatment of Industrial Wastewater under the Exposure of Non-Thermal Plasma Jet. *Processes*, 2020. 8(6): p. 667.
- [14]. Sethi, W., et al., A New Approach to Determining Liquid Concentration Using Multiband Annular Ring Microwave Sensor and Polarity Correlator. *Electronics*, 2020. 9(10).
- [15]. Serhsouh, I., et al., Reconfigurable SIW Antenna for Fixed Frequency Beam Scanning and 5G Applications. *IEEE Access*, 2020. 8: p. 60084-60089.
- [16]. Sedik, A., et al., Inspection of EEG signals for efficient seizure prediction. *Applied Acoustics*, 2020. 166: p. 107327.
- [17]. Saif, W.S., et al., Optical Performance Monitoring in Mode Division Multiplexed Optical Networks. *Journal of Lightwave Technology*, 2020: p. 1-1.
- [18]. Saif, W., et al., Machine Learning Techniques for Optical Performance Monitoring and Modulation Format Identification: A Survey. *IEEE Communications Surveys & Tutorials*, 2020.
- [19]. Rjeb, A., et al., A Novel Hyperbolic Tangent Profile for Optical Fiber for Next Generation OAM-MDM Systems. *IEEE Access*, 2020. 8: p. 226737-226753.

- [20]. Rjeb, A., et al., A Novel Hyperbolic Tangent Profile for optical fiber for Next Generation OAM-MDM Systems. *IEEE Access*, 2020: p. 1-1.
- [21]. Rahman, M.M., et al., Comprehensive impact analysis of electric vehicle charging scheduling on load-duration curve. *Computers & Electrical Engineering*, 2020. 85: p. 106673.
- [22]. Ragheb, A., et al., Identifying structured light modes in a desert environment using machine learning algorithms. *Optics Express*, 2020. 28(7): p. 9753-9763.
- [23]. Ragheb, A., et al., Identifying structured light modes in a desert environment using machine learning algorithms. *Optics Express*, 2020. 28(7): p. 9753-9763.
- [24]. Ragheb, A., et al., Photonics-based multi-band/multi-mode radar signal generation. 2020. 39(1): p. 91-101.
- [25]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Enhanced whale optimization algorithm for maximum power point tracking of variable-speed wind generators. *Applied Soft Computing*, 2020.
- [26]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Transient search optimization: a new meta-heuristic optimization algorithm. *Applied Intelligence*, 2020.
- [27]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Transient search optimization for electrical parameters estimation of photovoltaic module based on datasheet values. *Energy Conversion and Management*, 2020.
- [28]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Parameters extraction of three-diode photovoltaic model using computation and Harris Hawks optimization. *Energy*, 2020.
- [29]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Output power smoothing of wind power plants using self-tuned controlled SMES units. *Electric Power Systems Research*, 2020. 178.
- [30]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Salp swarm algorithm-based TS-FLCs for MPPT and fault ride-through capability enhancement of wind generators. *ISA Transactions*, 2020.
- [31]. Qais, M.H., H.M. Hasanien, and S. Alghuwainem, Whale optimization algorithm-based Sugeno fuzzy logic controller for fault ride-through improvement of grid-connected variable speed wind generators. *Engineering Applications of Artificial Intelligence*, 2020. 87.
- [32]. Pang, K., et al., Experimental mitigation of the effects of the limited size aperture or misalignment by singular-value-decomposition-based beam orthogonalization in a free-space optical link using Laguerre–Gaussian modes. *Optics Letters*, 2020. 45(22): p. 6310-6313.

- [33]. Odebawale, A., M. Abdel-Rahman, and H. Albrithen, Vanadium oxide thin films for optical readout-based thermal imager. *Optik*, 2020. 202: p. 163580.
- [34]. Nizam-Uddin, N., et al., Toward a multi-target multi-channel hyperthermia treatment system: Proof of concept with numerical simulations. *International Journal of Heat and Mass Transfer*, 2020. 150: p. 119257.
- [35]. Liao, P., et al., Flexible spectrum sharing of two asynchronous phase-shift keying signals using power division multiplexing. *Opt. Lett.*, 2020. 45: p. 1176-1179.
- [36]. Ko, W., et al., Implementation of a Demand-Side Management Solution for South Korea's Demand Response Program. *Applied Sciences*, 2020. 10(5): p. 1751.
- [37]. Khan, M.Z.M., et al., Injection-Locked Quantum-Dash Laser in Far L-Band 192 Gbit/s DWDM Transmission. *IEEE Photonics Journal*, 2020. 12(5): p. 1-11.
- [38]. Khan, A.S., et al., A Machine Learning Aided Blockchain Assisted Framework for Wireless Networks. *IEEE Network*, 2020.
- [39]. Khan, A.S., et al., Trusted UAV Network Coverage Using Blockchain, Machine Learning, and Auction Mechanisms. *IEEE Access*, 2020. 8: p. 118219-118234.
- [40]. Khaled, U., A. Beroual, and Y. Khan, Influence of electronic scavenger additives on AC breakdown voltage of synthetic ester. *IET Science, Measurement & Technology*, 2020.
- [41]. Hussain, Z., et al., White cement and burnt brick powder catalyzed pyrolysis of waste polystyrene for production of liquid and gaseous fuels. *Asia-Pacific Journal of Chemical Engineering*, 2020. 15(1): p. e2391.
- [42]. Hassan, A.K., et al., Performance Analysis and Joint Statistical Beamformer Design for Multi-User MIMO Systems. *IEEE Communications Letters*, 2020.
- [43]. Haraz, O.M., et al., Detection of metallic and nonmetallic concealed targets based on millimeter-wave inverse scattering approach. 2020: p. e22290.
- [44]. Haraz, O.M., et al., Detection of metallic and nonmetallic concealed targets based on millimeter-wave inverse scattering approach. *International Journal of RF Microwave Computer-Aided Engineering*, 2020.
- [45]. Haraz, O.M., et al., Design and Characterization of Wideband Aperture-Coupled Circularly Polarized Antenna for Gigabits Per Second Wireless Communication System. 2020: p. 1-16.
- [46]. Haraz, O.M., et al., Design and Characterization of Wideband Aperture-Coupled Circularly Polarized Antenna for Gigabits Per Second Wireless Communication System. *Wireless Personal Communications*, 2020: p. 1-16.

- [47]. Farh, H.M., et al., A novel severity performance index for optimal allocation and sizing of photovoltaic distributed generations. *Energy Reports*, 2020. 6: p. 2180-2190.
- [48]. Farh, H.M., et al., A Novel Crow Search Algorithm Auto-Drive PSO for Optimal Allocation and Sizing of Renewable Distributed Generation. *IEEE Access*, 2020. 8: p. 27807-27820.
- [49]. Fallahpour, A., et al., Demonstration of Tunable Optical Aggregation of QPSK to 16-QAM Over Optically Generated Nyquist Pulse Trains Using Nonlinear Wave Mixing and a Kerr Frequency Comb. *Journal of Lightwave Technology*, 2020. 38: p. 359-365.
- [50]. Fallahpour, A., et al., 16-QAM probabilistic constellation shaping by adaptively modifying the distribution of transmitted symbols based on errors at the receiver. *Optics Letters*, 2020. 45(18): p. 5283-5286.
- [51]. Fallahpour, A., et al., Demonstration of wavelength tunable optical modulation format conversion from 20 and 30 Gbit/s QPSK to PAM4 using nonlinear wave mixing. *Optics Communications*, 2020. 459: p. 124871-124871.
- [52]. Eltaieb, R.A., et al., Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. *Journal of Lightwave Technology*, 2020. 38(3): p. 619 - 631.
- [53]. Eltaieb, R.A., et al., Efficient Classification of Optical Modulation Formats Based on Singular Value Decomposition and Radon Transformation. 2020. 38(3): p. 619-631.
- [54]. Eltaieb, R.A., et al., Modulation format identification of optical signals: an approach based on singular value decomposition of Stokes space projections. 2020. 59(20): p. 5989-6004.
- [55]. Eltaieb, R.A., et al., Modulation format identification of optical signals: an approach based on singular value decomposition of Stokes space projections. *Applied Optics*, 2020. 59(20): p. 5989-6004.
- [56]. Chahid, A., et al., QuPWM: Feature Extraction Method for Epileptic Spike Classification. 2020.
- [57]. Chahid, A., et al., QuPWM: Feature Extraction Method for Epileptic Spike Classification. *IEEE Journal of Biomedical and Health Informatics*, 2020: p. 1-1.
- [58]. Cao, Y., et al., Tunable optical single-sideband generation for OOK and PAM4 data channels using an optical frequency comb and nonlinear wave-mixing. *Optics Letters*, 2020. 45(22): p. 6294-6297.
- [59]. Bsebsu, A., et al., Joint beamforming and admission control for cache-enabled Cloud-RAN with limited fronthaul capacity. *IET Signal Processing*, 2020. 14(5): p. 278-

- [60]. Bouallegue, G., et al., A Dynamic filtering DF-RNN deep-learning-based approach for EEG-based neurological disorders diagnosis. *IEEE Access*, 2020: p. 1-1.
- [61]. Atef, A., et al., CMOS Transimpedance Amplifiers for Biomedical Applications: A Comparative Study. *IEEE Circuits and Systems Magazine*, 2020. 20(1): p. 12-31.
- [62]. AsSadhan, B., et al., Network anomaly detection using a cross-correlation-based long-range dependence analysis. *International Journal of Network Management*, 2020: p. e2129.
- [63]. AsSadhan, B., et al., A robust anomaly detection method using a constant false alarm rate approach. *Multimedia Tools and Applications*, 2020.
- [64]. AsSadhan, B., et al., A robust anomaly detection method using a constant false alarm rate approach. *Multimedia Tools and Applications*, 2020: p. 1-24.
- [65]. Ashraf, M.A., et al., Multi-feature radiation pattern measurement apparatus operative up to 67-GHz band. 2020. 153: p. 107405.
- [66]. Ashraf, M.A., et al., Multi-feature Radiation Pattern Measurement Apparatus Operative up to 67-GHz band. *Measurement*, 2020. 153: p. 107405.
- [67]. Aqlan, B., et al., Sub-THz Circularly Polarized Horn Antenna Using Wire Electrical Discharge Machining for 6G Wireless Communications. *IEEE Access*, 2020. 8: p. 117245-117252.
- [68]. Alzoghaiby, A., et al., Adaptive filtering techniques for velocity estimation of tomographic electric capacitance signals of two-phase gas/oil flows. *Flow Measurement and Instrumentation*, 2020: p. 101866.
- [69]. Alshebeili, S.A., et al., Inspection of EEG signals for efficient seizure prediction. 2020. 166: p. 107327.
- [70]. Al-Shaan, A.M. and B.M. Alshammari, Novel assessment of power system reserve-based on the reliability and quality levels. *International Journal of Advanced and Applied Sciences*, 2020. 7(6): p. 6-14.
- [71]. Al-Shaan, A.M., Contingency selection and ranking for composite power system reliability evaluation. *Journal of King Saud University-Engineering Sciences*, 2020. 32(2): p. 141-147.
- [72]. Alrezj, O., M. Benaissa, and S.A.J.J.o.C. Alshebeili, Digital bandstop filtering in the quantitative analysis of glucose from near-infrared and midinfrared spectra. 2020. 34(3): p. e3206.
- [73]. Al-Rayif, M.I., et al., PAPR Reduction in UFMC for 5G Cellular Systems.

Electronics, 2020.

- [74]. Alotaiby, T.N., et al., A Nonfiducial PPG-Based Subject Authentication Approach Using the Statistical Features of DWT-Based Filtered Signals. *Journal of Sensors*, 2020. 2020: p. 8849845.
- [75]. Almaiman, A., et al., Demonstrating the use of OAM modes to facilitate the networking functions of carrying channel header information and orthogonal channel coding. *Opt. Lett.*, 2020. 45: p. 4381-4384.
- [76]. Almaiman, A., et al., Continuous delay tunability using a combination of three types of fiber Bragg gratings, wavelength conversion, and wavelength multicasting with a frequency comb. *Optics Communications*, 2020. 464.
- [77]. Al-lahham, A., et al., Sky Imager-Based Forecast of Solar Irradiance Using Machine Learning. *Electronics*, 2020. 9(10).
- [78]. Alkhlefat, Y., et al., Millimeter wave switching for single carrier and aggregated filter bank multi-carrier signals in radio over fiber networks. *Optical Fiber Technology*, 2020. 60: p. 102335.
- [79]. Alkhazraji, E., et al., Electro-absorption and Electro-optic Characterization of L-Band InAs/InP Quantum-dash Waveguide. *IEEE Photonics Journal*, 2020. 12(3): p. 1-10.
- [80]. Aljalal, M., et al., Comprehensive review on brain-controlled mobile robots and robotic arms based on electroencephalography signals. *Intelligent Service Robotics*, 2020.
- [81]. Ali, M., et al., Study of hybrid surface Plasmon modes in metallic circular waveguide filled with magnetized plasma. *Waves in Random and Complex Media*, 2020: p. 1-14.
- [82]. Al-hasani, M.A.A., et al., The Effect of Modulation Index in THD of Transformer less Inverter. *TEST Engineering and Management*, 2020. 82: p. 5691-5697.
- [83]. Alduraibi, M., et al., Rapid Room-Temperature Synthesis of Mesoporous TiO₂ Sub-Microspheres and Their Enhanced Light Harvesting in Dye-Sensitized Solar Cells. *Nanomaterials*, 2020. 10(3): p. 413.
- [84]. Al-Ammar, E.A., et al., Residential community load management based on optimal design of standalone HRES with model predictive control. *IEEE Access*, 2020. 8: p. 12542-12572.
- [85]. Al-Ammar, E.A., et al., Temperature impact assessment on multi-objective DGs and SCBs placement in distorted radial distribution systems. *AIMS Energy*, 2020. 8(2): p. 320.

- [86]. Al-Ammar, E.A., et al., Comprehensive impact analysis of ambient temperature on multi-objective capacitor placements in a radial distribution system. *Ain Shams Engineering Journal*, 2020.
- [87]. Al-Alimi, A.W., et al., A Wide Flat Triple Brillouin Frequency Spacing Multiwavelength Fiber Laser Assisted by Four Wave Mixing. *Journal of Lightwave Technology*, 2020.
- [88]. Aladadi, Y.T. and M.A. Alkanhal, Classification and characterization of electromagnetic materials. *Scientific reports*, 2020. 10(1): p. 1-11.
- [89]. Aladadi, Y.T. and M.A. Alkanhal, Extraction of tensor parameters of general biaxial anisotropic materials. *AIP Advances*, 2020. 10(2): p. 025113.
- [90]. Aladadi, Y.T. and M.A. Alkanhal, Electromagnetic Characterization of Graphene-Plasma Formations. *IEEE Transactions on Plasma Science*, 2020. 48(4): p. 852-857.
- [91]. Aladadi, Y.T. and M.A. Alkanhal, Extraction of the terahertz constitutive tensors of multilayer graphene-dielectric stacks. *Optics Communications*, 2020. 464: p. 125487.
- [92]. Ahmad, I., M.A. Ali, and W. Ko, Robust μ -Synthesis With Dahl Model Based Feedforward Compensator Design for Piezo-Actuated Micropositioning Stage. *IEEE Access*, 2020. 8: p. 141799-141813.
- [93]. Abdulkawi, W.M. and A.-F.A. Sheta, Chipless RFID Sensors Based on Multistate Coupled Line Resonators. *Sensors and Actuators A: Physical*, 2020: p. 112025.
- [94]. Abdulkawi, W.M. and A.A. Sheta, High coding capacity chipless radiofrequency identification tags. *Microwave and Optical Technology Letters*, 2020. 62(2): p. 592-599.
- [95]. Abdulkawi, W.M., et al., A Novel Printable Tag of M-Shaped Strips for Chipless Radio-Frequency Identification in IoT Applications. *Electronics*, 2020. 9(12): p. 2116.
- [96]. Abdel-Rahman, M., E. Bahidra, and A.F. Abas, Vanadium-Oxide-Based Thin Films with Ultra-High Thermo-Optic Coefficients at 1550 nm and 2000 nm Wavelengths. *Materials*, 2020. 13(8): p. 2002.

Year 2019

- [1]. M. Z. Yaqoob, A. Ghaffar, M. Alkanhal, and S. U. Rehman, "Characteristics of light-plasmon coupling on chiral-graphene interface," *JOSA B*, vol. 36, pp. 90-95, 2019.
- [2]. M. Z. Yaqoob, A. Ghaffar, M. Alkanhal, and S. U. Rehman, "Characteristics of light-plasmon coupling on chiral-graphene interface: publisher's note," *JOSA B*, vol. 36, pp.

204-204, 2019.

- [3]. M. Yaqoob, A. Ghaffar, M. A. Alkanhal, and Y. T. Aladadi, "Analysis of hybrid surface wave propagation supported by chiral metamaterial-graphene-metamaterial structures," *Results in Physics*, vol. 14, p. 102378, 2019.
- [4]. A. E. Willner, A. Fallahpour, F. Alishahi, Y. Cao, A. Mohajerin-Ariaei, A. Alaiman, P. Liao, K. Zou, A. N. Willner, and M. Tur, "All-Optical Signal Processing Techniques for Flexible Networks," *J. Lightwave Technol.*, vol. 37, pp. 21-35, 2019.
- [5]. H. Vettikalladi, W. T. Sethi, A. F. B. Abas, W. Ko, M. A. Alkanhal, and M. Himdi, "Sub-THz antenna for high-speed wireless communication systems," *International Journal of Antennas and Propagation*, vol. 2019, 2019.
- [6]. H. Vettikalladi, W. T. Sethi, A. F. B. Abas, W. Ko, M. A. Alkanhal, and M. Himdi, "Research Article Sub-THz Antenna for High-Speed Wireless Communication Systems," 2019.
- [7]. Toqueer, M. Naz, Y. Khan, M. Azam, M. Alkanhal, and R. Meer, "Morphological and magnetic response of copper-substituted nickel ferrite nanoparticles," *Philosophical Magazine Letters*, vol. 99, pp. 67-76, 2019.
- [8]. M. Tiwana, A. Mann, S. Ahmed, M. A. Alkanhal, A. Ghaffar, and Y. Khan, "Diffraction of electromagnetic waves due to a point source by a three part boundary satisfying perfect electromagnetic conductor conditions," *Waves in Random and Complex Media*, pp. 1-17, 2019.
- [9]. M. A. Soliman, H. M. Hasanien, S. Alghuwainem, and A. Al-Durra, "Symbiotic organisms search algorithm-based optimal control strategy for efficient operation of variable-speed wind generators," *IET Renewable Power Generation*, vol. 13, pp. 2684-2692, 2019.
- [10]. S. Shukrullah, M. A. Javed, M. Y. Naz, Y. Khan, M. A. Alkanhal, and H. Anwar, "PIV and Statistical Analysis of a Swirling Bed Process Carried out Using a Hybrid Model of Axial Blade Distributor," *Processes*, vol. 7, p. 697, 2019.
- [11]. M. Shehzad, M. Bashir, M. Yaqoob, A. Ghaffar, M. Alkanhal, and Y. Khan, "Characteristics of electromagnetic wave transmission and reflection from isotropic plasma coated circular nihility cylinder," *AIP Advances*, vol. 9, p. 045320, 2019.
- [12]. W. T. Sethi, K. Issa, M. A. Ashraf, S. J. M. Alshebeili, and O. T. Letters, "In vitro analysis of a microwave sensor for noninvasive glucose monitoring," vol. 61, pp. 599-604, 2019.
- [13]. A. Sedik, H. M. Emara, A. Hamad, E. M. Shahin, N. A. El-Hag, A. Khalil, F. Ibrahim, Z. M. Elsherbeny, M. Elreefy, and O. J. I. J. o. S. T. Zahran, "Efficient anomaly detection from medical signals and images," vol. 22, pp. 739-767, 2019.
- [14]. W. S. Saif, A. M. Ragheb, H. E. Seleem, T. A. Alshawi, and S. A. J. I. A. Alshebeili, "Modulation format identification in mode division multiplexed optical networks," vol. 7,

pp. 156207-156216, 2019.

- [15]. W. S. Saif, T. Alshawi, M. A. Esmail, A. Ragheb, and S. J. I. P. J. Alshebeili, "Separability of histogram based features for optical performance monitoring: An investigation using t-SNE technique," vol. 11, pp. 1-12, 2019.
- [16]. S. U. Rehman and M. A. Alkanhal, "System modelling and synthesis of stepped impedance resonators and filters," IET Microwaves, Antennas & Propagation, vol. 13, pp. 2693-2700, 2019.
- [17]. S. U. Rehman and M. A. Alkanhal, "System-based modelling and synthesis of defected ground structure resonators and filters," IET Microwaves, Antennas & Propagation, vol. 13, pp. 774-781, 2019.
- [18]. F. Razzaz and M. A. Alkanhal, "Evanescent and propagating electromagnetic waves in Bi-isotropic layers," Waves in Random and Complex Media, pp. 1-12, 2019.
- [19]. M. H. Qais, H. M. Hasanien, S. Alghuwainem, and A. S. Nouh, "Coyote optimization algorithm for parameters extraction of three-diode photovoltaic models of photovoltaic modules," Energy, vol. 187, p. 116001, 2019.
- [20]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "Enhanced salp swarm algorithm: Application to variable speed wind generators," Engineering Applications of Artificial Intelligence, vol. 80, pp. 82-96, 2019.
- [21]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "Identification of electrical parameters for three-diode photovoltaic model using analytical and sunflower optimization algorithm," Applied Energy, vol. 250, pp. 109-117, 2019.
- [22]. H. O. Omotoso, S. M. Alghuwainem, and I. Ahmad, "Constant current fuzzy logic controller for grid connected electric vehicle charging," 2019 8th International Conference on Modeling Simulation and Applied Optimization, ICMSAO 2019, 2019.
- [23]. M. Naz, S. Shukrullah, S. Sulaiman, Y. Khan, M. Alkanhal, and A. Ghaffar, "Particle image velocimetry analysis of a swirling bed operation by using a mesh-coupled annular air distributor," Journal of the Brazilian Society of Mechanical Sciences and Engineering, vol. 41, p. 366, 2019.
- [24]. P. Liao, C. Bao, A. Almaiman, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, F. Alishahi, Y. Cao, K. Zou, A. Fallahpour, A. N. Willner, M. Tur, T. J. Kippenberg, and A. E. Willner, "Demonstration of Multiple Kerr-Frequency-Comb Generation Using Different Lines From Another Kerr Comb Located Up To 50 km Away," J. Lightwave Technol., vol. 37, pp. 579-584, 2019.
- [25]. L. Li, R. Zhang, P. Liao, Y. Cao, H. Song, Y. Zhao, J. Du, Z. Zhao, C. Liu, K. Pang, H. Song, A. Almaiman, D. Starodubov, B. Lynn, R. Bock, M. Tur, A. F. Molisch, and A. E. Willner, "Mitigation for turbulence effects in a 40-Gbit/s orbital-angular-momentum-multiplexed free-space optical link between a ground station and a retro-reflecting UAV

using MIMO equalization," Opt. Lett., vol. 44, pp. 5181-5184, 2019.

- [26]. Y. Lau, P. J. Ker, A. F. Abas, M. T. Alresheedi, and M. A. Mahdi, "Mode-locked fiber laser in the C-band region for dual-wavelength ultrashort pulses emission using a carbon nanotube saturable absorber," Chinese Optics Letters, vol. 17, pp. 30-33, 2019.
- [27]. W. Ko, E. Al-Ammar, and M. Almahmeed, "Development of Feed-in Tariff for PV in the Kingdom of Saudi Arabia," Energies, vol. 12, p. 2898, 2019.
- [28]. A. S. Khan, Y. Rahulamathan, B. Basutli, G. Zheng, B. AsSadhan, and S. Lambotharan, "Blockchain-based distributive auction for relay-assisted secure communications," IEEE Access, vol. 7, pp. 95555-95568, 2019.
- [29]. U. Khaled, A. Beroual, and Y. Khan, "Statistical investigation of AC breakdown voltage of natural ester with electronic scavenger additives," IEEE Transactions on Dielectrics and Electrical Insulation, vol. 26, pp. 2012-2018, 2019.
- [30]. M. Kamran Saleem, M. Xie, M. A. Alkanhal, and M. Saadi, "Effect of dielectric materials on integrated lens antenna for millimeter wave applications," Microwave and Optical Technology Letters, vol. 61, pp. 1079-1083, 2019.
- [31]. M. Kamran, A. Illahi, S.-u.-I. Ahmad, M. A. Alkanhal, A. Ghaffar, and Y. Khan, "Enhancement of directivity of dipole antenna by a complex conjugate cylinder," Waves in Random and Complex Media, pp. 1-11, 2019.
- [32]. Issa, H. Fathallah, M. A. Ashraf, H. Vettikalladi, and S. J. E. Alshebeili, "Broadband High-Gain Antenna for Millimetre-Wave 60-GHz Band," vol. 8, p. 1246, 2019.
- [33]. A. Illahi, M. Bashir, M. A. Alkanhal, S. Khatoon, A. Ghaffar, and Y. Khan, "Electromagnetic waves scattering from a sphere of complex conjugate medium," Journal of the European Optical Society-Rapid Publications, vol. 15, pp. 1-7, 2019.
- [34]. F. Ibrahim, S. A.-E. El-Gindy, S. M. El-Dolil, A. S. El-Fishawy, E.-S. M. El-Rabaie, M. I. Dessouky, I. M. Eldokany, T. N. Alotaiby, S. A. Alshebeili, and F. E. J. I. J. o. S. T. Abd El-Samie, "A statistical framework for EEG channel selection and seizure prediction on mobile," vol. 22, pp. 191-203, 2019.
- [35]. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Cooperative vehicle positioning with multi-sensor data fusion and vehicular communications," Wireless Networks, vol. 25, pp. 1403-1413, 2019.
- [36]. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Waveform diversity for mutual interference mitigation in automotive radars under realistic traffic environments," Signal, Image and Video Processing, vol. 13, pp. 1-8, 2019.
- [37]. A. Hossain, I. Elshafiey, and A. Al-Sanie, "FMCW Chirp Diversity for Mutual Interference Mitigation in Short-range Automotive Radars under Realistic Traffic Model," Applied Computational Electromagnetics Society Journal, vol. 34, 2019.

- [38]. M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Hybrid mmWave/DSRC vehicular communication for next generation connected vehicles," *OPTOELECTRONICS AND ADVANCED MATERIALS-RAPID COMMUNICATIONS*, vol. 13, pp. 44-50, 2019.
- [39]. Ghafir, K. G. Kyriakopoulos, S. Lambotharan, F. J. Aparicio-Navarro, B. AsSadhan, H. BinSalleh, and D. M. Diab, "Hidden Markov models and alert correlations for the prediction of advanced persistent threats," *IEEE Access*, vol. 7, pp. 99508-99520, 2019.
- [40]. A. Ghaffar, I. Toqueer, M. Yaqoob, M. A. Alkanhal, Y. Khan, and Q. Naqvi, "Scattering and absorption characteristics of graphene coated metamaterial cylinder," *Results in Physics*, vol. 15, p. 102787, 2019.
- [41]. Ghaffar, M. Hussan, M. A. Alkanhal, and Y. Khan, "Interaction of directive electromagnetic radiation with isotropic plasma-coated PEMC cylinder," *Waves in Random and Complex Media*, vol. 29, pp. 706-721, 2019.
- [42]. M. A. Esmail, A. M. Ragheb, H. A. Fathallah, M. Altamimi, and S. A. J. I. A. Alshebeili, "5G-28 GHz signal transmission over hybrid all-optical FSO/RF link in dusty weather conditions," vol. 7, pp. 24404-24410, 2019.
- [43]. H. Emara, M. Elwekeil, t. E. Taha, A. El-Fishawy, S. El-Rabaie, T. Alotaiby, S. Alshebeili, and A. J. M. J. o. E. E. R. El-samie, "Efficient Epileptic Seizure Prediction Approach Based on Hilbert Transform," vol. 28, pp. 17-32, 2019.
- [44]. R. Elsharkawy, M. Hindy, A.-R. SEBAK, A. Saleeb, E.-S. M. El-Rabaie, A. Ragheb, M. Ashraf, and S. J. S. Alshebeili, "Single-and double-beam reflectarrays for Ka band communication," vol. 44, p. 106, 2019.
- [45]. A. Chahid, F. Albalawi, T. N. Alotaiby, M. H. Al-Hameed, S. Alshebeili, and T.-M. J. a. p. a. Laleg-Kirati, "QuPWM: Feature extraction method for meg epileptic spike detection," 2019.
- [46]. Bin-Halabi, A. Nouh, and M. Abouelela, "Remote detection and identification of illegal consumers in power grids," *IEEE Access*, vol. 7, pp. 71529-71540, 2019.
- [47]. Bao, P. Liao, A. Kordts, L. Zhang, A. Matsko, M. Karpov, M. H. P. Pfeiffer, G. Xie, Y. Cao, A. Almaiman, M. Tur, T. J. Kippenberg, and A. E. Willner, "Orthogonally polarized frequency comb generation from a Kerr comb via cross-phase modulation," *Opt. Lett.*, vol. 44, pp. 1472-1475, 2019.
- [48]. Atef, M. Atef, M. Abbas, E. E. M. Khaled, and G. Wang, "Fully integrated wide dynamic range optical receiver for near infrared spectroscopy," *Microelectronics Journal*, vol. 85, pp. 92-97, 2019.
- [49]. M. R. AlShareef and M. R. Abdel-Rahman, "Electrically small particles for infrared imaging applications," *Applied Physics Letters*, vol. 115, p. 243502, 2019.
- [50]. A. M. Al-Shaan, "Technical and Economic Merits Resulting from Power Systems

Interconnection," *Adv. Sci. Technol. Eng. Syst. J.*, vol. 4, 2019.

- [51]. K. Al-Sefri and A. M. Al-Shaan, "Availability, Performance and Reliability Evaluation for PV Distributed Generation," *World Journal of Engineering and Technology*, vol. 7, pp. 429-454, 2019.
- [52]. M. A. Alrumaih and A. M. Al-Shaan, "Impact of PV Distributed Generation on Loop Distribution Network," *Journal of Power and Energy Engineering*, vol. 7, p. 27, 2019.
- [53]. T. Alrubeaan, K. Albagami, A. Ragheb, S. Aldosari, M. Altamimi, and S. Alshebeili, "An Investigation of LPI Radar Waveforms Classification in RoF Channels," *IEEE Access*, vol. 7, pp. 124844-124853, 2019.
- [54]. M. I. Al-Rayif, H. Seleem, A. Ragheb, and S. J. I. P. J. Alshebeili, "A novel iterative-SLM algorithm for PAPR reduction in 5G mobile fronthaul architecture," vol. 11, pp. 1-12, 2019.
- [55]. T. N. Alotaiby, S. A. Alshebeili, L. M. Aljafar, and W. M. J. J. o. S. Alsabhan, "ECG-based subject identification using common spatial pattern and SVM," vol. 2019, 2019.
- [56]. T. N. Alotaiby, S. R. Alrshoud, S. A. Alshebeili, and L. M. J. J. o. S. Aljafar, "ECG-Based Subject Identification Using Statistical Features and Random Forest," vol. 2019, 2019.
- [57]. E. Alkhazraji, A. Ragheb, Q. Tareq, M. Esmail, H. Fathallah, S. Alshebeili, and M. J. O. C. Khan, "Hybrid dual-injection locked 1610 nm quantum-dash laser for MMW and THz applications," vol. 452, pp. 355-359, 2019.
- [58]. Al-Khalli and N. Debbar, "Performance enhancement of ZnO-based MSM photodiodes by optimizing structure parameters," *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields*, vol. 32, p. e2519, 2019.
- [59]. N. Al-Khalli, M. Aboud, and N. Debbar, "Influence of the Active Layer Material Quality and Doping Profile on the ZnO-Based MSM-PD's Performance," *IEEE Access*, vol. 7, pp. 74231-74237, 2019.
- [60]. F. Alishahi, A. H. Mohajerin-Ariaei, A. Fallahpour, Y. Cao, A. Almainan, P. Liao, C. Bao, B. Shamee, K. Zou, H. Zhou, A. Willner, C. Langrock, M. M. Fejer, J. Touch, M. Tur, and A. E. Willner, "Optical Mitigation of Interchannel Crosstalk for Multiple Spectrally Overlapped 20 Gbaud QPSK/16-QAM WDM Channels using Nonlinear Wave Mixing," *Journal of Lightwave Technology*, vol. 8724, pp. 1-1, 2019.
- [61]. F. Alishahi, A. Fallahpour, A. Mohajerin-Ariaei, Y. Cao, A. Kordts, M. H. P. Pfeiffer, M. Karpov, A. Almainan, P. Liao, K. Zou, C. Liu, A. N. Willner, M. Tur, T. J. Kippenberg, and A. E. Willner, "Reconfigurable optical generation of nine Nyquist WDM channels with sinc-shaped temporal pulse trains using a single microresonator-based Kerr frequency comb," *Opt. Lett.*, vol. 44, pp. 1852-1855, 2019.
- [62]. M. Alharbi, A. Alhuseini, A. Ragheb, M. Altamimi, T. Alshawi, and S. J. I. P. T. L. Alshebeili, "Automatic Modulation Classification: Investigation for Millimeter Wave Over

Fiber Channels," vol. 31, pp. 1092-1095, 2019.

- [63]. A. M. Albishi, S. H. Mirjahanmardi, A. M. Ali, V. Nayyeri, S. M. Wasly, and O. M. Ramahi, "Intelligent Sensing Using Multiple Sensors for Material Characterization," Sensors, vol. 19, p. 4766, 2019.
- [64]. Y. T. Aladadi and M. A. Alkanhal, "Extraction of metamaterial constitutive parameters based on data-driven discontinuity detection," Optical Materials Express, vol. 9, pp. 3765-3780, 2019.
- [65]. N. Z. Abidin, M. A. Bakar, Y. M. Kamil, A. F. Abas, M. T. Alresheedi, and M. A. Mahdi, "Open Cavity Hybrid Raman-Erbium Random Fiber Laser With Common Pump," IEEE Access, vol. 7, pp. 85867-85874, 2019.
- [66]. W. M. Abdulkawi, A.-F. A. Sheta, W. A. Malik, S. U. Rehman, and M. S. Alkanhal, "RF MEMS Switches Enabled H-Shaped Beam Reconfigurable Antenna," Applied Computational Electromagnetics Society Journal, vol. 34, pp. 1312-1319, 2019.
- [67]. W. M. Abdulkawi, A.-F. A. Sheta, K. Issa, and S. A. Alshebeili, "Compact printable inverted-M shaped chipless RFID tag using dual-polarized excitation," Electronics, vol. 8, p. 580, 2019.
- [68]. W. M. Abdulkawi and A.-F. A. Sheta, "K-State Resonators for High-Coding-Capacity Chipless RFID Applications," IEEE Access, vol. 7, pp. 185868-185878, 2019.
- [69]. W. M. Abdulkawi and A.-F. A. Sheta, "Four-state coupled-line resonator for chipless RFID tags application," Electronics, vol. 8, p. 581, 2019.
- [70]. M. Abdel-Rahman, M. Zia, and M. Alduraibi, "Temperature-Dependent Resistive Properties of Vanadium Pentoxide/Vanadium Multi-Layer Thin Films for Microbolometer & Antenna-Coupled Microbolometer Applications," Sensors, vol. 19, p. 1320, 2019.
- [71]. M. Abdel-Rahman, M. Alduraibi, M. Hezam, and B. Ilahi, "Sputter deposited GeSn alloy: A candidate material for temperature sensing layers in uncooled microbolometers," Infrared Physics & Technology, vol. 97, pp. 376-380, 2019.
- [72]. M. Abdel-Rahman, "Ultra-High Sensitivity Vanadium–Vanadium Sesquioxide–Vanadium (V–V₂O₃–V) Symmetric Tunnel Junction Diode," Surface Review and Letters, vol. 26, p. 1950041, 2019.
- [73]. H. A. Abdallah, M. Amoon, M. M. Hadhoud, A. A. Shaalan, S. A. Alshebeili, F. E. J. M. T. Abd El-Samie, and Applications, "An embedding approach using orthogonal matrices of the singular value decomposition for image steganography," pp. 1-17, 2019.
- [74]. A. M. Noman, A. I. Alolah, K. E. Addoweesh, and A. A. Alabduljabbar, "The three-phase cascaded VSI topology using coupled transformers for grid-connected PV applications," in *2019 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)*, 2019, pp. 1-6.

- [75]. A. M. Noman, K. E. Addoweesh, A. A. Alabduljabbar, and A. I. Alolah, "Cascaded H-Bridge MLI and Three-Phase Cascaded VSI Topologies for Grid-Connected PV Systems with Distributed MPPT," *International Journal of Photoenergy*, vol. 2019, 2019.
- [76]. M. A. Mohamed, A. M. Eltamaly, A. I. Alolah, and A. Hatata, "A novel framework-based cuckoo search algorithm for sizing and optimization of grid-independent hybrid renewable energy systems," *International journal of green energy*, vol. 16, pp. 86-100, 2019.

Year 2018

- [1]. M. Yaqoob, A. Ghaffar, M. Alkanhal, S. ur Rehman, and F. Razzaz, "Hybrid Surface Plasmon Polariton Wave Generation and Modulation by Chiral-Graphene-Metal (CGM) Structure," *Scientific reports*, vol. 8, pp. 1-9, 2018.
- [2]. A. N. Willner, P. Liao, K. Zou, Y. Cao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, A. Almaiman, A. Fallahpour, F. Alishahi, K. Manukyan, M. Tur, T. J. Kippenberg, and A. E. Willner, "Scalable and reconfigurable optical tapped-delay-line for multichannel equalization and correlation using nonlinear wave mixing and a Kerr frequency comb," *Opt. Lett.*, vol. 43, pp. 5563-5566, 2018.
- [3]. N. Uddin and I. Elshafiey, "Efficient energy localization for hybrid wideband hyperthermia treatment system," *International Journal of RF and Microwave Computer-Aided Engineering*, 2018.
- A. H. Sulaiman, M. Z. A. Kadir, N. M. Yusoff, N. A. Cholan, F. Abdullah, A. F. Abas, M. T. Alresheedi, and M. A. Mahdi, "Broad bandwidth SOA-based multiwavelength laser incorporating a bidirectional Lyot filter," *Chinese Optics Letters*, vol. 16, p. 090603, 2018.
- [4]. M. A. Shemis, E. Alkhazraji, A. M. Ragheb, M. T. A. Khan, M. Esmail, H. Fathallah, S. Alshebeili, and M. Z. M. J. I. P. J. Khan, "Broadly tunable self-injection locked InAs/InP quantum-dash laser based fiber/FSO/hybrid fiber-FO communication at 1610 nm," vol. 10, pp. 1-10, 2018.
- [5]. M. Shemis, M. Khan, E. Alkhazraji, A. Ragheb, M. Esmail, H. Fathallah, K. Qureshi, S. Alshebeili, and M. J. O. C. Khan, "Demonstration of L-band DP-QPSK transmission over FSO and fiber channels employing InAs/InP quantum-dash laser source," vol. 410, pp. 680-684, 2018.
- [6]. W. T. Sethi, O. de Sagazan, H. Vettikalladi, H. Fathallah, and M. Himdi, "Yagi-Uda nantenna for 1550 nanometers optical communication systems," *Microwave and Optical Technology Letters*, vol. 60, pp. 2236-2242, 2018.
- [7]. W. T. Sethi, M. A. Ashraf, A. Ragheb, A. Alasaad, S. A. J. I. J. o. A. Alshebeili, and Propagation, "Demonstration of millimeter wave 5G setup employing high-gain Vivaldi array," vol. 2018, 2018.

- [8]. W. Sethi, M. Ashraf, S. Alshebeili, and K. J. E. L. Issa, "Thumb positioning analysis of new elliptical-shaped microwave sensors for non-invasive glucose monitoring," vol. 54, pp. 553-554, 2018.
- [9]. A. Sedik, T. Alotaiby, H. El-Khobby, M. Atea, S. A. Alshebeili, A. El-Samie, and E. J. M. J. o. E. E. R. Fathi, "A Statistical Seizure Prediction Approach Based on Savitzky-Golay Smoothing," vol. 27, pp. 53-70, 2018.
- [10]. P. Sarkar, S. Majhi, H. Vettikalladi, and A. S. Mahajumi, "A direct construction of inter-group complementary code set," IEEE Access, vol. 6, pp. 42047-42056, 2018.
- A. M. Ragheb, H. Fathallah, and S. A. J. P. N. C. Alshebeili, "Laser phase noise impact on optical DP-MQAM: experimental investigation," vol. 35, pp. 237-244, 2018.
- [11]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "Augmented grey wolf optimizer for grid-connected PMSG-based wind energy conversion systems," Applied Soft Computing Journal, 2018.
- [12]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "A Grey Wolf Optimizer for Optimum Parameters of Multiple PI Controllers of a Grid-Connected PMSG Driven by Variable Speed Wind Turbine," IEEE Access, vol. 6, pp. 44120 - 44128, 2018.
- [13]. M. Qais, U. Khaled, and S. Alghuwainem, "Improved differential relay for bus bar protection scheme with saturated current transformers based on second order harmonics," Journal of King Saud University - Engineering Sciences, vol. 30, pp. 320-329, 2018.
- [14]. N. A. Odhah, E. S. Hassan, M. I. Dessouky, W. E. Al-Hanafy, S. A. Alshebeili, and F. E. J. W. P. C. Abd El-Samie, "Adaptive Per-spatial Stream Power Allocation Algorithms for Single-User MIMO-OFDM Systems," vol. 98, pp. 1-31, 2018.
- [15]. M. Y. Naz, S. A. Sulaiman, Y. Khan, A. Ghaffar, Y. Jamil, and I. Ahmad, "Study of Particle Dynamics in a Swirling Fluidized Bed by using a Mesh-type Air Distributor," Journal of Porous Media, vol. 21, 2018.
- [16]. M. H. Mubarak, O. Sidek, M. R. Abdel-Rahman, M. T. Mustaffa, A. S. Mustapa Kamal, and S. M. Mukras, "Nano-Antenna Coupled Infrared Detector Design," Sensors, vol. 18, p. 3714, 2018.
- [17]. M. H. Mubarak, O. Sidek, M. R. Abdel-Rahman, M. T. Mustaffa, A. S. M. Kamal, and S. M. Mukras, "Fabrication of microparabolic reflector for infrared antenna coupled detectors," Micro & Nano Letters, vol. 13, pp. 1343-1348, 2018.
- [18]. W. A. Malik, A. A. Sheta, and I. Elshafiey, "A 1.8 GHz wideband high power amplifier with flat gain response by exploiting microstrip high-pass-filter," Microwave and Optical Technology Letters, vol. 60, pp. 765-769, 2018.
- [19]. W. A. Malik, A. A. Sheta, and I. Elshafiey, "Development of efficient high power amplifier with more than an octave bandwidth," IEEE Access, vol. 6, pp. 6602-6609, 2018.
- [20]. P. Liao, C. Bao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, C. A. O. Yinwen, A. Almainan, A. Mohajerin-Ariaei, F. Alishahi, A. Fallahpour, K. Zou, M. Tur, T. J. Kippenberg, and A. E. Willner, "Effects of erbium-doped fiber amplifier induced pump noise on soliton Kerr frequency combs for 64-quadrature amplitude modulation transmission," Optics Letters, vol. 43, pp. 2495-2498, 2018.

- [21]. U. Khaled, A. Beroual, F. Alotaibi, Y. Khan, and A. Al-Arainy, "Experimental and analytical study on the performance of novel design of efficient two-stage electrostatic precipitator," *IET Science, Measurement & Technology*, vol. 12, pp. 486-491, 2018.
- [22]. A. Kang, O. Aldayel, V. Monga, and M. Rangaswamy, "Spatio-spectral radar beampattern design for coexistence with wireless communication systems," *IEEE Transactions on Aerospace and Electronic Systems*, vol. 55, pp. 644-657, 2018.
- [23]. K. Issa, Y. A. Alshoudokhi, M. A. Ashraf, M. R. AlShareef, H. M. Behairy, S. Alshebeili, H. J. I. J. o. A. Fathallah, and Propagation, "A high-density L-shaped backscattering chipless tag for RFID bistatic systems," vol. 2018, 2018.
- [24]. A. A. Hussain, N. Tayem, M. O. Butt, A.-H. Soliman, A. Alhamed, and S. J. I. A. Alshebeili, "FPGA hardware implementation of DOA estimation algorithm employing LU decomposition," vol. 6, pp. 17666-17680, 2018.
- [25]. M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "High Precision Vehicle Positioning: Towards Cooperative Driving Based on VANET," *Journal of Internet Technology*, vol. 19, pp. 289-295, 2018.
- [26]. Z. A. Haidar and A. M. Al-Shaan, "Reliability Evaluation of Renewable Energy Share in Power Systems," *Journal of Power and Energy Engineering*, vol. 6, p. 40, 2018.
- [27]. Ghafir, K. G. Kyriakopoulos, F. J. Aparicio-Navarro, S. Lambotharan, B. Assadhan, and H. Binsalleeh, "A basic probability assignment methodology for unsupervised wireless intrusion detection," *IEEE Access*, vol. 6, pp. 40008-40023, 2018.
- [28]. A. Ghaffar, M. Hussan, A. Illahi, M. A. Alkanhal, S. Ur Rehman, and M. Naz, "Effects on RCS of a perfect electromagnetic conductor sphere in the presence of anisotropic plasma layer," *Waves in Random and Complex Media*, vol. 28, pp. 35-48, 2018.
- [29]. Ghaffar, M. A. Alkanhal, and Y. Khan, "Field intensity of a perfect electromagnetic conductor circular reflector coated with a plasma layer under oblique incidence," *Optik*, vol. 154, pp. 626-633, 2018.
- [30]. M. A. Esmail, A. Ragheb, H. Seleem, H. Fathallah, and S. J. O. C. Alshebeili, "Radar signal transmission and switching over optical networks," vol. 410, pp. 385-388, 2018.
- [31]. M. Esmail, A. Ragheb, H. Fathallah, and S. J. I. P. T. L. Alshebeili, "Demonstration of photonics-based switching of 5G signal over hybrid all-optical network," vol. 30, pp. 1250-1253, 2018.
- [32]. M. El Badawe, A. Albishi, and O. M. Ramahi, "Polarization independent dual-band RF energy harvester," 2018.
- [33]. H.-J. Choi, S.-H. Song, W. Ko, and S. Park, "Case Study of Demand Response Operation using Management Program in South Korea," *International Journal of Engineering Research and Technology*, vol. 11, 2018.
- [34]. H.-J. Choi, S. Park, W. Ko, and E. A. Al-Ammar, "A case study of advanced metering infrastructure," *International Journal of Digital Signals and Smart Systems*, vol. 2, pp. 215-224, 2018.
- [35]. Y. Cao, K. Zou, P. Liao, A. Almaiman, A. Fallahpour, F. Alishahi, A. Mohajerin-Ariaei, C. Bao,

A. N. Willner, D. Starodubov, M. Tur, and A. E. Willner, "Performance enhancement of an optical high-order QAM channel by adding correlated data to robust neighboring BPSK or QPSK channels," *Opt. Lett.*, vol. 43, pp. 5697-5700, 2018.

- [36]. Y. Cao, H. Song, Y. Akasaka, P. Liao, A. Alaiman, F. Alishahi, A. Fallahpour, C. Bao, A. Mohajerin-Ariaei, T. Ikeuchi, D. Starodubov, J. Touch, M. Tur, and A. E. Willner, "Raman-assisted phase sensitive amplifier using a fiber Bragg grating-based tunable phase shifter," *Opt. Lett.*, vol. 43, pp. 3949-3952, 2018.
- [37]. Y. Cao, A. Alaiman, M. Ziyadi, A. Mohajerin-Ariaei, C. Bao, P. Liao, F. Alishahi, A. Fallahpour, Y. Akasaka, C. Langrock, M. M. Fejer, J. D. Touch, M. Tur, and A. E. Willner, "Reconfigurable Channel Slicing and Stitching for an Optical Signal to Enable Fragmented Bandwidth Allocation Using Nonlinear Wave Mixing and an Optical Frequency Comb," *Journal of Lightwave Technology*, vol. 36, 2018.
- [38]. A. Bin-Halabi, A. Nouh, and M. Abouelela, "A Simple and Effective Strategy to Prevent Power Transformer Overloading," *American Scientific Research Journal for Engineering, Technology, and Sciences (ASRJETS)*, vol. 48, pp. 201-214, 2018.
- [39]. M. S. Baig, A. F. Abas, M. T. Alresheedi, and M. A. Mahdi, "IM/DD dual stream asymmetrically clipped optical OFDM system," *Optical Engineering*, vol. 57, p. 086103, 2018.
- [40]. M. Azam, I. Toqueer, A. Ghaffar, M. Y. Naz, M. A. Alkanhal, and Y. Khan, "Electromagnetic Wave Reflectance, Transmittance, and Absorption in a Graphene-Covered Uniaxial Crystal Slab," *Progress In Electromagnetics Research*, vol. 73, pp. 71-79, 2018.
- [41]. E. Awad, "Bidirectional Mode Slicing and Re-Combining for Mode Conversion in Planar Waveguides," *IEEE Access*, vol. 6, pp. 55937-55947, 2018.
- [42]. E. Awad, "Confined optical beam-bending for direct connection among cores of different multicore fibers," *Optical and Quantum Electronics*, vol. 50, p. 69, 2018.
- [43]. AsSadhan, A. Bashaiwth, J. Al-Muhtadi, and S. Alshebeili, "Analysis of P2P, IRC and HTTP traffic for botnets detection," *Peer-to-Peer Networking and Applications*, vol. 11, pp. 848-861, 2018.
- [44]. A. M. Al-Shaalan, "Anticipated Actions to Reduce Energy Shortages in the Residential Sector," *Energy and Power Engineering*, vol. 10, p. 434, 2018.
- [45]. S. H. Al-Senaidi, A. I. Alolah, and M. A. Alkanhal, "Magnetization-Dependent Core-Loss Model in a Three-Phase Self-Excited Induction Generator," *Energies*, vol. 11, p. 3228, 2018.
- [46]. M. Al-Rayif, H. Seleem, A. Ragheb, S. J. J. o. C. Alshebeili, Systems, and Computers, "Experimental demonstration for PAPR reduction in OFDM system using partial-OSLM technique," vol. 27, p. 1850106, 2018.
- [47]. E. Alkhazraji, M. Khan, A. Ragheb, H. Fathallah, K. Qureshi, S. Alshebeili, M. J. O. Khan, and L. Technology, "Effect of temperature and ridge-width on the lasing characteristics of InAs/InP quantum-dash lasers: A thermal analysis view," vol. 98, pp. 67-74, 2018.
- [48]. M. A. Alkanhal, A. Ghaffar, M. Hussan, Y. Khan, I. Ahmad, and Q. Naqvi, "Scattering by a magnetized plasma-coated topological insulator cylinder," *Journal of Computational Electronics*, vol. 17, pp. 949-958, 2018.

- [49]. A. M. Albishi and O. M. Ramahi, "Highly sensitive microwaves sensors for fluid concentration measurements," *IEEE Microwave and Wireless Components Letters*, vol. 28, pp. 287-289, 2018.
- [50]. E. A. Al-Ammar, G. A. Ghazi, and W. Ko, "Impact of ambient temperature on shunt capacitor placement in a distorted radial distribution system," *Energies*, vol. 11, p. 1585, 2018.
- [51]. W. M. Abdulkawi and A. F. A. Sheta, "Multi-resonator structure for small size chipless radio frequency identification tag," *International Journal of Computing and Digital Systems*, vol. 7, pp. 43-49, 2018.
- [52]. W. M. Abdulkawi, W. A. Malik, A. F. A. Sheta, and M. A. Alkanhal, "A compact dual circular patch pattern reconfigurable antenna," *Microwave and Optical Technology Letters*, vol. 60, pp. 2762-2768, 2018.
- [53]. M. R. Abdel-Rahman, "Vanadium oxide thin films with high midwave & longwave infrared thermo-optic coefficients and high temperature coefficients of resistance," *Optik*, vol. 159, pp. 79-86, 2018.
- [54]. M. Abdel-Rahman, K. Issa, M. F. Zia, M. Alduraibi, M. Siraj, A. Ragheb, and S. Alshebeili, "High sensitivity vanadium–vanadium pentoxide–aluminium metal–insulator–metal diode," *Micro & Nano Letters*, vol. 13, pp. 680-683, 2018.
- [55]. M. Abdel-Rahman, O. M. Haraz, N. Ashraf, M. F. Zia, U. Khaled, I. Elshafiey, S. Alshebeili, and A. R. Sebak, "Properties of Silica-Based Aerogel Substrates and Application to C-Band Circular Patch Antenna," *Journal of Electronic Materials*, vol. 47, pp. 2025-2031, 2018.
- [56]. F. E. Abd El-Samie, T. N. Alotaiby, M. I. Khalid, S. A. Alshebeili, and S. A. J. I. A. Aldosari, "A review of EEG and MEG epileptic spike detection algorithms," vol. 6, pp. 60673-60688, 2018.
- [57]. M. Abbas and A. Ramadan, "Low-cost methodology for fault diagnosis and localization in pipelined ADCs," *Integration*, vol. 63, pp. 64-73, 2018.
- [58]. A. M. Noman, A. A Al-Shamma'a, K. E. Addoweesh, A. A. Alabduljabbar, and A. I. Alolah, "cascaded multilevel inverter topology based on cascaded H-bridge multilevel inverter," *Energies*, vol. 11, p. 895, 2018.
- [59]. A. A. Al-Shamma'a, A. M. Noman, K. E. Addoweesh, A. A. Alabduljabbar, and A. Alolah, "Analytical Approach to Circulating Current Mitigation in Hexagram Converter-Based Grid-Connected Photovoltaic Systems Using Multiwinding Coupled Inductors," *International Journal of Photoenergy*, vol. 2018, 2018.
- [60]. A. Al-Shamma'a, A. M. Noman, K. E. Addoweesh, A. A. Alabduljabbar, and A. Alolah, "Multilevel Converter by Cascading Two-Level Three-Phase Voltage Source Converter," *Energies*, vol. 11, p. 843, 2018.
- [61]. S. H. Al-Senaidi, A. I. Alolah, and M. A. Alkanhal, "Magnetization-Dependent Core-Loss Model in a Three-Phase Self-Excited Induction Generator," *Energies*, vol. 11, p. 3228, 2018.
- [62]. A. Alolah, A. A. Alabduljabbar, A. M. Noman, K. E. Addoweesh, and A. A. Al-Shamma'a, "Multilevel Converter by Cascading Two-Level Three-Phase Voltage Source Converter," 2018.

Year 2017

- [1]. M. Abbas and K. Khalil, "Low-delay dispersion comparator for level crossing analog to digital converters," International Journal of Microelectronics and Computer Science, vol. 9, 2018.
- [2]. M. F. Zia, M. Abdel-Rahman, M. Alduraibi, B. Ilahi, E. Awad, and S. Majzoub, "Electrical and Infrared Optical Properties of Vanadium Oxide Semiconducting Thin-Film Thermometers," Journal of Electronic Materials, pp. 1-8, 2017.
- [3]. G. Xie, C. Liu, L. Li, Y. Ren, Z. Zhao, Y. Yan, N. Ahmed, Z. Wang, A. J. Willner, C. Bao, Y. Cao, P. Liao, M. Ziyadi, A. Almainan, S. Ashrafi, M. Tur, and A. E. Willner, "Spatial light structuring using a combination of multiple orthogonal orbital angular momentum beams with complex coefficients," Optics Letters, vol. 42, 2017.
- [4]. S. ur Rehman and M. A. Alkanhal, "Design and system characterization of ultra-wideband antennas with multiple band-rejection," IEEE Access, vol. 5, pp. 17988-17996, 2017.
- [5]. H. A. Sher, K. E. Addoweesh, Z. Khalid, and Y. Khan, "Theoretical and experimental analysis of inverter fed induction motor system under DC link capacitor failure," Journal of King Saud University-Engineering Sciences, vol. 29, pp. 103-111, 2017.
- [6]. M. A. Shemis, A. M. Ragheb, M. T. A. Khan, H. A. Fathallah, S. Alshebeili, K. K. Qureshi, and M. Z. M. J. I. P. J. Khan, "L-band quantum-dash self-injection locked multiwavelength laser source for future WDM access networks," vol. 9, pp. 1-7, 2017.
- [7]. M. Shemis, A. Ragheb, E. Alkhazraji, M. Esmail, H. Fathallah, S. Alshebeili, and M. J. C. O. L. Khan, "Self-seeded quantum-dash laser based 5 m–128 Gb/s indoor free-space optical communication," vol. 15, p. 100604, 2017.
- [8]. M. Shemis, A. Ragheb, E. Alkhazraji, M. Esmail, H. Fathallah, S. Alshebeili, and M. J. C. O. L. Khan, "Self-seeded quantum-dash laser based 5 m-128 Gb/s indoor free-space optical communication: erratum," vol. 15, p. 123501, 2017.
- [9]. W. T. Sethi, H. Vettikalladi, H. Fathallah, and M. Himdi, "Hexa-band printed monopole antenna for wireless applications," Microwave and Optical Technology Letters, vol. 59, pp. 2816-2822, 2017.
- [10]. W. T. Sethi, H. Vettikalladi, H. Fathallah, and M. Himdi, "Dielectric resonator nantennas for optical communication," Optical Communication Technology, p. 45, 2017.

- [11]. W. T. Sethi, M. R. AlShareef, M. Ashraf, H. M. Behairy, S. J. M. Alshebeili, and O. t. letters, "Compact dual polarized aperture coupled microstrip patch antenna for UWB RFID applications," vol. 59, pp. 1317-1321, 2017.
- [12]. M. K. Saleem, H. Vettikaladi, M. A. Alkanhal, and M. Himdi, "Lens antenna for wide angle beam scanning at 79 GHz for automotive short range radar applications," IEEE Transactions on Antennas and Propagation, vol. 65, pp. 2041-2046, 2017.
- [13]. M. K. Saleem, M. A. Alkanhal, A. F. Sheta, M. Abdel Rahman, and M. Himdi, "Integrated lens antenna array with full azimuth plane beam scanning capability at 60 GHz," Microwave and Optical Technology Letters, vol. 59, pp. 116-120, 2017.
- [14]. F. Saadaoui, M. Fathallah, A. M. Ragheb, M. I. Memon, H. Fathallah, and S. A. J. I. A. Alshebeili, "Optimizing OSSB generation using semiconductor optical amplifier (SOA) for 5G millimeter wave switching," vol. 5, pp. 6715-6723, 2017.
- [15]. S. U. Rehman and M. A. Alkanhal, "Characterization of multiband antennas using the singularity expansion method," Microwave and Optical Technology Letters, vol. 59, pp. 1012-1018, 2017.
- [16]. S. U. Rehman and M. A. Alkanhal, "Time to frequency domain analysis of narrow band antennas," International Journal of Antennas and Propagation, vol. 2017, 2017.
- [17]. F. Razzaz and M. A. Alkanhal, "Electromagnetic tunneling and resonances in pseudochiral omega slabs," Scientific reports, vol. 7, p. 41961, 2017.
- [18]. F. Razzaz and M. A. Alkanhal, "Resonances in bianisotropic layers," IEEE Photonics Journal, vol. 10, pp. 1-12, 2017.
- [19]. F. Razzaz and M. A. Alkanhal, "Trapped modes and resonances in gyrotropic graphene stacks," Applied Physics B, vol. 123, p. 91, 2017.
- [20]. F. Razzaz and M. A. Alkanhal, "Resonances in graphene-dielectric stacks," Journal of the European Optical Society-Rapid Publications, vol. 13, pp. 1-9, 2017.
- [21]. F. Razzaz and M. A. Alkanhal, "Electromagnetic Coupling and Tunneling Through Chiral Layers," IEEE Access, vol. 5, pp. 2442-2447, 2017.
- [22]. A. Ragheb, H. Fathallah, A. Bentrcia, M. Shoaib, and S. J. P. N. C. Alshebeili, "Complexity reduction of equalization/pre-emphasis using set membership filtering for NG LR-PON," vol. 33, pp. 166-178, 2017.
- [23]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "Low voltage ride-through capability enhancement of grid-connected permanent magnet synchronous generator driven directly by variable speed wind turbine: a review," The Journal of Engineering, vol. 2017, pp. 1750-1754, 2017.
- [24]. M. H. Qais, H. M. Hasanien, and S. Alghuwainem, "Output power smoothing of grid-

connected permanent-magnet synchronous generator driven directly by variable speed wind turbine: a review," *The Journal of Engineering*, vol. 2017, pp. 1755-1759, 2017.

- [25]. N. Nizam-Uddin and I. Elshafiey, "Enhanced Energy Localization in Hyperthermia Treatment Based on Hybrid Electromagnetic and Ultrasonic System: Proof of Concept with Numerical Simulations," *BioMed Research International*, 2017.
- [26]. N. Nizam-Uddin and I. Elshafiey, "Enhanced Energy Localization with Wideband Hyperthermia Treatment System," *Applied Computational Electromagnetics Society Journal*, vol. 32, pp. 389-397, 2017.
- [27]. N. Nizam-Uddin, W. Alkadri, W. A. Malik, I. Elshafiey, and A. F. Sheta, "Towards wideband hyperthermia treatment system," *Applied Computational Electromagnetics Society Journal*, pp. 769-780, 2017.
- [28]. P. Liao, C. Bao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, A. Mohajerin-Ariaei, Y. Cao, A. Almainan, M. Ziyadi, S. R. Wilkinson, M. Tur, T. J. Kippenberg, and A. E. Willner, "Dependence of a microresonator Kerr frequency comb on the pump linewidth," *Optics Letters*, vol. 42, 2017.
- [29]. P. Liao, C. Bao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, Y. Cao, A. Almainan, A. Mohajerin-Ariaei, M. Tur, M. M. Fejer, T. J. Kippenberg, and A. E. Willner, "Pump-linewidth-tolerant wavelength multicasting using soliton Kerr frequency combs," *Optics Letters*, vol. 42, 2017.
- [30]. M. T. A. Khan, M. A. Shemis, A. M. Ragheb, M. A. Esmail, H. A. Fathallah, S. Alshebeili, and M. Z. M. J. I. P. J. Khan, "4 m/100 Gb/s optical wireless communication based on far L-band injection locked quantum-dash laser," vol. 9, pp. 1-7, 2017.
- [31]. M. T. A. Khan, E. Alkhazraji, A. M. Ragheb, H. Fathallah, K. Qureshi, S. Alshebeili, and M. J. I. P. T. L. Khan, "100 Gb/s single channel transmission using injection-locked 1621 nm quantum-dash laser," vol. 29, pp. 543-546, 2017.
- [32]. M. I. Khalid, T. N. Alotaiby, S. A. Aldosari, S. A. Alshebeili, M. H. Alhameed, and V. J. I. A. Poghosyan, "Epileptic MEG spikes detection using amplitude thresholding and dynamic time warping," vol. 5, pp. 11658-11667, 2017.
- [33]. A. Khalfaoui, S. Ilahi, M. Abdel-Rahman, M. Zia, M. Alduraibi, B. Ilahi, and N. Yacoubi, "Photothermal deflection technique investigation of annealing temperature and time effects on optical and thermal conductivity of V/V₂O₅ alternating layers structure," *Physica B: Condensed Matter*, vol. 522, pp. 26-30, 2017.
- [34]. K. Issa, M. A. Ashraf, M. R. AlShareef, H. Behairy, S. Alshebeili, H. J. I. J. o. A. Fathallah, and Propagation, "A novel L-shape ultra wideband chipless radio-frequency identification tag," vol. 2017, 2017.
- [35]. A. Illahi, A. Ghaffar, M. A. Alkanhal, Y. Khan, A. Aziz, Q. Naqvi, and M. Sharif, "PEMC backed chiral nihility Gregorian system," *Optoelectronics and Advanced*

Materials-Rapid Communications, vol. 11, pp. 409-414, 2017.

- [36]. M. Hussan, A. Ghaffar, M. A. Alkanhal, M. Naz, S. Ur Rehman, and Y. Khan, "Scattering from isotropic plasma coated nihility sphere," Physics of Plasmas, vol. 24, p. 063303, 2017.
- [37]. M. A. Hadi, M. N. Tabassum, S. J. S. Alshebeili, Image, and V. Processing, "Compressive sensing based high-resolution passive bistatic radar," vol. 11, pp. 635-642, 2017.
- [38]. A. Ghaffar, M. Hussan, M. A. Alkanhal, and S. ur Rehman, "Scattering from metamaterial coated nihility sphere," Journal of the European Optical Society-Rapid Publications, vol. 13, pp. 1-8, 2017.
- [39]. Y. Cao, M. Ziyadi, A. Almainan, A. Mohajerin-Ariaei, P. Liao, C. Bao, F. Alishahi, A. Fallahpour, B. Shamee, A. J. Willner, Y. Akasaka, T. Ikeuchi, S. Wilkinson, C. Langrock, M. M. Fejer, J. Touch, M. Tur, and A. E. Willner, "Pilot-tone-based self-homodyne detection using optical nonlinear wave mixing," Optics Letters, vol. 42, p. 1840, 2017.
- [40]. A. Bao, P. Liao, A. Kordts, L. Zhang, M. Karpov, M. H. P. Pfeiffer, Y. Cao, Y. Yan, A. Almainan, G. Xie, A. Mohajerin-Ariaei, L. Li, M. Ziyadi, S. R. Wilkinson, M. Tur, T. J. Kippenberg, and A. E. Willner, "Dual-pump generation of high-coherence primary Kerr combs with multiple sub-lines," Optics Letters, vol. 42, 2017.
- [41]. A. Bao, P. Liao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, Y. Cao, G. Xie, C. Liu, Y. Yan, A. Almainan, A. Mohajerin-Ariaei, A. Fallahpour, M. Tur, T. J. Kippenberg, and A. E. Willner, "Tunable insertion of multiple lines into a Kerr frequency comb using electro-optical modulators," Optics Letters, vol. 42, 2017.
- [42]. A. Awad, "V-splitter with adjustable power splitting ratio," Optical and Quantum Electronics, vol. 49, p. 300, 2017.
- [43]. A. AsSadhan, K. Zeb, J. Al-Muhtadi, and S. Alshebeili, "Anomaly detection based on LRD behavior analysis of decomposed control and data planes network traffic using SOSS and FARIMA models," IEEE Access, vol. 5, pp. 13501-13519, 2017.
- [44]. M. A. Ashraf, I. Memon, S. A. J. M. Alshebeili, and O. T. Letters, "Design and analysis of broadband antipodal Vivaldi antenna for radio over fiber systems," vol. 59, pp. 1441-1446, 2017.
- [45]. M. A. Ashraf, Y. A. Alshoudokhi, H. M. Behairy, M. R. Alshareef, S. A. Alshebeili, K. Issa, and H. J. I. A. Fathallah, "Design and analysis of multi-resonators loaded broadband antipodal tapered slot antenna for chipless RFID applications," vol. 5, pp. 25798-25807, 2017.
- [46]. M. Ashraf, K. Jamil, A. Sebak, S. Alshebeili, M. Shoaib, M. Alkanhal, and Z. Alhekail, "Evaluation of a single-input multiple-output antenna array for ultra-wide band

- applications," AEU-International Journal of Electronics and Communications, vol. 79, pp. 291-300, 2017.
- [47]. A. Aqlan, H. Vettikalladi, and M. A. Alkanhal, "Millimeter wave antenna with frequency selective surface (FSS) for 79 GHz automotive radar applications," International Journal of Microwave and Wireless Technologies, vol. 9, p. 281, 2017.
 - [48]. A. Alwarafy, A. I. Sulyman, A. Alsanie, S. A. Alshebeili, H. M. J. I. J. o. A. Behairy, and Propagation, "Path-Loss Channel Models for Receiver Spatial Diversity Systems at 2.4 GHz," vol. 2017, 2017.
 - [49]. S. Alsulaiman, M. Ashraf, K. Jamil, M. Shoaib, S. J. M. Alshebieli, and O. T. Letters, "Compact size tapered slot antenna array for ultra broadband applications," vol. 59, pp. 26-31, 2017.
 - [50]. A. M. Al-Shaan, "Most prominent aspects associated with power system planning process," International Journal of Engineering, Science and, vol. 6, pp. 110-121, 2017.
 - [51]. A. M. Al-Shaan, "Investigating Practical Measures to Reduce Power Outages and Energy Curtailments," Journal of Power and Energy Engineering, vol. 5, pp. 21-36, 2017.
 - [52]. A. M. Al-Shaan, "Reliability/cost tradeoff evaluation for interconnected electric power systems," International Journal of Computing and Digital Systems, vol. 6, pp. 369-374, 2017.
 - [53]. M. Al-Shaan, "Proposed Measures to Mitigate Energy Interruptions in Residential Sector," Journal of Power and Energy Engineering, vol. 5, p. 50, 2017.
 - [54]. A. M. Al-Shaan, "Reliability-Cost Benefits Evaluation of Power Systems Interconnection," Int. J. Com. Dig. Sys, vol. 6, 2017.
 - [55]. T. N. Alotaiby, S. A. Alshebeili, F. M. Alotaibi, S. R. J. C. i. Alrshoud, and neuroscience, "Epileptic seizure prediction using CSP and LDA for scalp EEG signals," vol. 2017, 2017.
 - [56]. T. N. Alotaiby, S. R. Alrshoud, S. A. Alshebeili, M. H. Alhumaid, and W. M. J. J. o. h. e. Alsabhan, "Epileptic MEG spike detection using statistical features and genetic programming with KNN," vol. 2017, 2017.
 - [57]. A. Alhamed, N. Tayem, T. Alshawi, S. Alshebeili, A. Alsuwailem, and A. J. T. J. o. E. Hussain, "FPGA-based real-time implementation for direction-of-arrival estimation," vol. 2017, pp. 260-265, 2017.
 - [58]. O. Aldayel, V. Monga, and M. Rangaswamy, "Tractable transmit MIMO beampattern design under a constant modulus constraint," IEEE Transactions on Signal Processing, vol. 65, pp. 2588-2599, 2017.

- [59]. A. M. Albishi and O. M. Ramahi, "Microwaves-based high sensitivity sensors for crack detection in metallic materials," *IEEE Transactions on Microwave Theory and Techniques*, vol. 65, pp. 1864-1872, 2017.
- [60]. Alaqeel, S. Almorqi, O. M. Haraz, S. A. Alshebeili, and A.-R. J. W. P. C. Sebak, "Design of multilayered K-band and Ka-band slot-coupled microstrip 90° hybrid couplers employing circular ring patch shapes," *vol. 92*, pp. 653-666, 2017.
- [61]. M. Abdel-Rahman, M. Alduraibi, M. F. Zia, E. Bahidra, and A. Alasaad, "Vanadium sesquioxide (V₂O₃)-based semiconducting temperature sensitive resistors for uncooled microbolometers," *Modern Physics Letters B*, vol. 31, p. 1750145, 2017.
- [62]. A. M. Noman, K. E. Addoweesh, and A. I. Alolah, "Simulation and practical implementation of ANFIS-based MPPT method for PV applications using isolated Ćuk converter," *International journal of Photoenergy*, vol. 2017, 2017.
- [63]. M. A. Mohamed, A. M. Eltamaly, and A. I. Alolah, "Swarm intelligence-based optimization of grid-dependent hybrid renewable energy systems," *Renewable and Sustainable Energy Reviews*, vol. 77, pp. 515-524, 2017.
- [64]. A. M. Eltamaly, M. A. Mohamed, M. Al-Saud, and A. I. Alolah, "Load management as a smart grid concept for sizing and designing of hybrid renewable energy systems," *Engineering Optimization*, vol. 49, pp. 1813-1828, 2017.

Year 2016

- [1]. M. Zia, M. Abdel-Rahman, M. Alduraibi, B. Ilahi, and A. Alasaad, "Synthesis and electrical characterisation of vanadium oxide thin film thermometer for microbolometer applications," *Electronics Letters*, vol. 52, pp. 827-828, 2016.
- [2]. H. Vettikalladi, M. K. Saleem, and M. A. Alkanhal, "Membrane antenna array based on substrate integrated waveguide technology for 94 GHz communication systems," *International Journal of Microwave and Wireless Technologies*, vol. 8, p. 633, 2016.
- [3]. H. A. Sher, K. E. Addoweesh, and Y. Khan, "Effect of short circuited DC link capacitor of an AC-DC-AC inverter on the performance of induction motor," *Journal of King Saud University-Engineering Sciences*, vol. 28, pp. 199-206, 2016.
- [4]. W. T. Sethi, H. Vettikalladi, H. Fathallah, and M. Himdi, "Nantenna for standard 1550 nm optical communication systems," *International Journal of Antennas and Propagation*, vol. 2016, 2016.

- [5]. W. T. Sethi, H. Vettikalladi, H. Fathallah, and M. Himdi, "Optimising a nantenna array at 1550 nm band," *Micro & Nano Letters*, vol. 11, pp. 779-782, 2016.
- [6]. M. K. Saleem, M. A. Alkanhal, and A. F. Sheta, "Switch beam dielectric resonator antenna array with four reconfigurable radiation patterns," *Microwave and Optical Technology Letters*, vol. 58, pp. 86-92, 2016.
- [7]. F. Razzaz and M. A. Alkanhal, "Trapped-mode resonances in a Voigt plasma layer," *Physics of Plasmas*, vol. 23, p. 112105, 2016.
- [8]. M. Y. Naz, S. Shukrullah, S. A. Sulaiman, Y. Khan, A. Ghaffar, and S. Ullah, "Investigations on spatial distribution of low temperature plasma parameters using NiCr wire probe diagnostic," *Measurement*, vol. 91, pp. 194-200, 2016.
- A. Mohajerin-Ariaei, M. Ziyadi, A. Alaiman, Y. Cao, F. Alishahi, M. R. Chitgarha, A. Fallahpour, J.-Y. Yang, C. Bao, P. Liao, B. Shamee, Y. Akasaka, M. Sekiya, J. D. Touch, M. Tur, C. Langrock, M. M. Fejer, and A. E. Willner, "Simultaneous all-optical phase noise mitigation and automatically locked homodyne reception of an incoming QPSK data signal," *Optics Letters*, vol. 41, 2016.
- [9]. Mabrouk, N. Hassim, and I. Elshafiey, "A computationally efficient technique for real-time detection of particular-slope edges," *Journal of Real-Time Image Processing*, vol. 11, pp. 611-623, 2016.
- [10]. E. Kim, Y. Kim, and W. Ko, "A Dynamic Electricity Tariff survey for Smart Grid in South KOREA," 2016.
- [11]. Y. Khan, M. H. Abbasi, and A. Al-Ohaly, "Dynamic analysis for grid tied PV inverter under controlled environment," *Journal of Optoelectronics and Advanced Materials*, vol. 18, pp. 490-497, 2016.
- [12]. M. I. Khalid, T. Alotaibi, S. A. Aldosari, S. A. Alshebeili, M. H. Al-Hameed, F. S. Y. Almohammed, and T. S. J. I. A. Alotaibi, "Epileptic MEG spikes detection using common spatial patterns and linear discriminant analysis," vol. 4, pp. 4629-4634, 2016.
- [13]. M. Kamran Saleem, M. A. Alkanhal, and A. F. Sheta, "Switched beam dielectric resonator antenna array with six reconfigurable radiation patterns," *International Journal of RF and Microwave Computer-Aided Engineering*, vol. 26, pp. 519-530, 2016.
- [14]. Ilahi, M. Abdel-Rahman, Z. Zaaboub, M. Zia, M. Alduraibi, and H. Maaref, "Thermal annealing induced multiple phase in V/V₂O₅ alternating multilayer structure," *International Journal of Modern Physics B*, vol. 30, p. 1650210, 2016.
- [15]. O. M. Haraz, N. Ashraf, S. Almorqi, H. Shaman, S. A. Alshebeili, A. R. J. M. Sebak, and O. T. Letters, "Millimeter-wave microstrip diplexer using elliptical open-loop ring resonators for next generation 5G wireless applications," vol. 58, pp. 106-110, 2016.
- [16]. F. Gillani, E. Al-Shaer, and B. AsSadhan, "Economic metric to improve spam detectors," *Journal of Network and Computer Applications*, vol. 65, pp. 131-143, 2016.
- [17]. A. Ghaffar, M. Hussan, M. A. Alkanhal, and M. Naz, "Scattering characteristics of

- homogeneous magnetized ferrite coated PEMC cylinder," *Optik*, vol. 127, pp. 8451-8460, 2016.
- [18]. Ghaffar and M. A. Alkanhal, "Power flux distribution in chiroplasma-filled perfect electromagnetic conductor circular waveguides," *Radio Science*, vol. 51, pp. 231-240, 2016.
 - [19]. Ghaffar and M. A. Alkanhal, "High frequency scattering of a Gaussian beam by a perfect electromagnetic conductor (PEMC) cylinder," *Optik*, vol. 127, pp. 3680-3683, 2016.
 - [20]. N. Debbar, "Theoretical study of the DC and transient characteristics of a lateral Schottky barrier photodiode for application as high-speed photodetector," *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields*, vol. 29, pp. 333-342, 2016.
 - [21]. Y. Cao, M. Ziyadi, A. Mohajerin-Ariaei, A. Almainan, P. Liao, C. Bao, F. Alishahi, A. Falahpour, B. Shamee, J. Y. Yang, Y. Akasaka, M. Sekiya, M. Tur, C. Langrock, M. Fejer, J. Touch, and A. E. Willner, "Reconfigurable optical inter-channel interference mitigation for spectrally overlapped QPSK signals using nonlinear wave mixing in cascaded PPLN waveguides," *Optics Letters*, vol. 41, 2016.
 - [22]. Y. Cao, M. Ziyadi, Y. Akasaka, A. Mohajerin-Ariaei, J.-Y. Yang, A. Almainan, P. Liao, F. Alishahi, N. Ahmed, A. J. Willner, S. Takasaka, R. Sugizaki, J. Touch, M. Sekiya, M. Tur, and A. E. Willner, "All optical signal level swapping and multilevel amplitude noise mitigation based on different regions of optical parametric amplification," *Optics Letters*, vol. 41, 2016.
 - [23]. Bao, P. Liao, L. Zhang, Y. Yan, Y. Cao, G. Xie, A. Mohajerin-Ariaei, L. Li, M. Ziyadi, A. Almainan, L. C. Kimerling, J. Michel, and A. E. Willner, "Effect of a breather soliton in Kerr frequency combs on optical communication systems," *Optics Letters*, vol. 41, 2016.
 - [24]. Bao, P. Liao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, Y. Yan, G. Xie, Y. Cao, A. Almainan, M. Ziyadi, L. Li, Z. Zhao, A. Mohajerin-Ariaei, S. R. Wilkinson, M. Tur, M. M. Fejer, T. J. Kippenberg, and A. E. Willner, "Demonstration of optical multicasting using Kerr frequency comb lines," *Optics Letters*, vol. 41, p. 3876, 2016.
 - [25]. Awad and M. Abdel-Rahman, "Nano-plasmonic chirped metal-stripes polarimeter for dual-band infrared detection," *Electronics Letters*, vol. 53, pp. 95-96, 2016.
 - [26]. N. Ashraf, O. M. Haraz, M. M. M. Ali, M. A. Ashraf, S. A. S. J. A.-I. J. o. E. Alshebili, and Communications, "Optimized broadband and dual-band printed slot antennas for future millimeter wave mobile communication," vol. 70, pp. 257-264, 2016.
 - [27]. S. Alsuhaibani, Y. Khan, A. Beroual, and N. H. Malik, "A review of frequency response analysis methods for power transformer diagnostics," *Energies*, vol. 9, p. 879, 2016.
 - [28]. A. Almainan, M. Ziyadi, A. Mohajerin-Ariaei, Y. Cao, M. R. Chitgarha, P. Liao, C. Bao, B. Shamee, N. Ahmed, F. Alishahi, A. Fallahpour, Y. Akasaka, J.-Y. Yang, M. Sekiya, J. D. Touch, M. Tur, C. Langrock, M. M. Fejer, and A. E. Willner, "Experimental demonstration of tunable homodyne detection of WDM and dual-polarization PSK channels by automatically locking the channels to a local pump laser using nonlinear mixing," *Optics Letters*, vol. 41, 2016.
 - [29]. Almainan, Y. Cao, M. Ziyadi, A. Mohajerin-Ariaei, P. Liao, C. Bao, F. Alishahi, A. Fallahpour, B. Shamee, N. Ahmed, A. J. Willner, Y. Akasaka, T. Ikeuchi, S. Takasaka, R. Sugizaki, S. Wilkinson, J. D. Touch, M. Tur, and A. E. Willner, "Experimental demonstration of phase-

sensitive regeneration of a binary phase-shift keying channel without a phase-locked loop using Brillouin amplification," *Optics Letters*, vol. 41, pp. 5434-5437, 2016.

- [30]. N. Al-Khalli, M. Alduraibi, N. Debbar, M. Saleem, M. Alkanhal, A. Sebak, and M. Abdel-Rahman, "Photolithographically definable SU-8-alumina composite for W-band dielectric resonator antennas," *Micro & Nano Letters*, vol. 11, pp. 224-229, 2016.
- [31]. O. Aldayel, V. Monga, and M. Rangaswamy, "Successive QCQP refinement for MIMO radar waveform design under practical constraints," *IEEE Transactions on Signal Processing*, vol. 64, pp. 3760-3774, 2016.
- [32]. M. Alansi, I. Elshafiey, A. Al-Sanie, and A. Mabrouk, "FPGA implementation of multi-user detection genetic algorithm tool for SDMA-OFDM systems," *Wireless Personal Communications*, vol. 86, pp. 1241-1263, 2016.
- [33]. M. A. Mohamed, A. M. Eltamaly, and A. I. Alolah, "PSO-based smart grid application for sizing and optimization of hybrid renewable energy systems," *PloS one*, vol. 11, p. e0159702, 2016.
- [34]. M. A. Mohamed, A. M. Eltamaly, and A. I. Alolah, "PSO-based smart grid application for sizing and optimization of hybrid renewable energy systems," *PloS one*, vol. 11, p. e0159702, 2016.
- [35]. A. M. Eltamaly, M. A. Mohamed, and A. I. Alolah, "A novel smart grid theory for optimal sizing of hybrid renewable energy systems," *Solar Energy*, vol. 124, pp. 26-38, 2016.

Conference Papers

- [1]. Alotaiby, T.N., S.A. Alshebeili, and G. Alotibi, *Subject Authentication using Time-Frequency Image Textural Features*, in *2021 International Conference on Artificial Intelligence in Information and Communication (ICAIIC)2021*: Jeju Island, Korea (South). p. 130-133.
- [2]. Alotaiby, T.N., S.A. Alshebeili, and G. Alotaibi. *Multimodal Signals Subject Authentication System*. in *2021 18th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)*. 2021. Chiang Mai, Thailand: IEEE.

Year 2020

- [1]. Zou, K., et al., *Experimental Demonstration of an Optical Second-Order Volterra Nonlinear Filter using Wave Mixing and Delays to Equalize a 20-Gbaud 4-APSK Channel*, in *Optical Fiber Communication Conference (OFC) 2020*, Optical

- Society of America. p. M1I.2.
- [2]. Zhou, H., et al., WDM Operation and Multiple Dispersion Elements for a Direct-Detection System using Phase Retrieval, in Optical Fiber Communication Conference (OFC) 20202020, Optical Society of America. p. W4A.4.
 - [3]. Zhang, R., et al., Experimental Demonstration of Crosstalk Reduction to Achieve Turbulence-Resilient Multiple-OAM-Beam Free-Space Optical Communications using Pilot Tones to Mix Beams at the Receiver, in Conference on Lasers and Electro-Optics2020, Optical Society of America. p. SW4L.4.
 - [4]. Zhang, R., et al., Alignment Monitor for Free-Space Optical Links in the Presence of Turbulence using the Beating of Opposite-Order Orbital-Angular-Momentum Beams on Two Different Wavelengths, in Optical Fiber Communication Conference (OFC) 20202020, Optical Society of America. p. Th1K.6.
 - [5]. Tareq, Q., et al. Wireless Transmission of Millimeter Waves Generated by L-band InAs/InP Quantum-dash Laser. in 2020 IEEE Photonics Conference (IPC). 2020. Vancouver, BC, Canada: IEEE.
 - [6]. Tareq, Q., et al. Tunable 28-60 GHz Millimeter Wave Signal Generation using L-band Quantum-dash Laser. in 2020 Conference on Lasers and Electro-Optics Pacific Rim (CLEO-PR). 2020. IEEE.
 - [7]. Rahman, M.M., et al. Optimal Design of Grid Connected PV Battery System for Probabilistic EVCS Load. in 2020 Advances in Science and Engineering Technology International Conferences (ASET). 2020. IEEE.
 - [8]. Rabiah, A.B., et al. SDR-Based Hardware Implementation and Performance Measurement of Transmit Beampattern Design Algorithms. in 2020 IEEE Radar Conference (RadarConf20). 2020. Florence, Italy: IEEE.
 - [9]. Pang, K., et al., Simultaneous Orthogonalizing and Shaping of Multiple LG Beams to Mitigate Crosstalk and Power Loss by Transmitting Each of Four Data Channels on Multiple Modes in a 400-Gbit/s Free-Space Link, in Optical Fiber Communication Conference (OFC) 20202020, Optical Society of America. p. W1G.2.
 - [10]. Pang, K., et al., Plasmonic Nanoantenna-Enhanced Adiabatic Wavelength Conversion using a Time-varying Epsilon-near-zero-based Metasurface, in Conference on Lasers and Electro-Optics2020, Optical Society of America. p. FTh4Q.6.
 - [11]. Liu, C., et al., Experimental Demonstration of Self-Phase-Modulation Induced Wavelength Shift in an 80-nm thick ITO-ENZ Material in the Telecom c Band, in Conference on Lasers and Electro-Optics2020, Optical Society of America. p. FTu3Q.5.
 - [12]. Fallahpour, A., et al., 16-QAM Probabilistic Constellation Shaping by Learning the Distribution of Transmitted Symbols from the Training Sequence, in Optical Fiber

- Communication Conference (OFC) 20202020, Optical Society of America. p. M1G.3.
- [13]. Alshaye, M., F. Alawwad, and I. Elshafiey. Hurricane tracking using Multi-GNSS-R and deep learning. in 2020 3rd International Conference on Computer Applications & Information Security (ICCAIS). 2020. IEEE.
 - [14]. Almainan, A., et al., Experimental Demonstration of a Data Correlation and Data Equalization using a Tunable Optical Tapped-Delay-Line Using the Spatial Domain and Modal-Dependent Delays, in Conference on Lasers and Electro-Optics2020, Optical Society of America. p. STu3O.3.
 - [15]. Alkhazraji, E., et al. Three-channel Multiplexed Communication over Mid L-band InAs/InP Quantum Dash Laser. in 2020 IEEE Photonics Conference (IPC). 2020.
 - [16]. Alkhazraji, E., et al. Three-channel Multiplexed Communication over Mid L-band InAs/InP Quantum Dash Laser. in 2020 IEEE Photonics Conference (IPC). 2020. Vancouver, BC, Canada: IEEE.
 - [17]. Alkhazraji, E., et al. QPSK Modulation Effects on the RF Characteristics of Quantum-dash Laser Based WDM System. in 2020 Asia Communications and Photonics Conference (ACP) and International Conference on Information Photonics and Optical Communications (IPOC). 2020. Beijing, China: IEEE.
 - [18]. ALjehani, N. and M. Abbas. Low Power Preamplifier for Biomedical Signal Digitization. in 2020 27th International Conference on Mixed Design of Integrated Circuits and System (MIXDES). 2020. IEEE.

Year 2019

- [1]. K. Zou, P. Liao, C. Bao, Y. Cao, A. Kordts, A. Almainan, M. Karpov, M. H. P. Pfeiffer, F. Alishahi, A. Fallahpour, M. Tur, T. J. Kippenberg, and A. E. Willner, "Demonstration of Kramers-Kronig Detection of Four 20-Gbaud 16-QAM Channels after 50-km Transmission Using Kerr Combs to Perform Shared Phase Estimation," in *Conference on Lasers and Electro-Optics*, ed: Optical Society of America, 2019, p. SM3G.3.
- [2]. Z. Zhao, R. Zhang, H. Song, H. Song, L. Li, J. Du, C. Liu, K. Pang, A. Almainan, R. W. Boyd, M. Tur, and A. E. Willner, "Generating a Twisted Spatiotemporal Wave Packet Using Coherent Superposition of Structured Beams with Different Frequencies," in *Conference on Lasers and Electro-Optics*, ed: Optical Society of America, 2019, p. JTU2A.67.
- [3]. Y. Zhang, Q. Yang, S. Lambotharan, K. Kyriakopoulos, I. Ghafir, and B. AsSadhan, "Anomaly-Based Network Intrusion Detection Using SVM," in *2019 11th International Conference on Wireless Communications and Signal Processing (WCSP)*, 2019, pp. 1-6.
- [4]. R. Zhang, H. Song, Z. Zhao, H. Song, J. Du, G. Xie, L. Li, K. Pang, C. Liu, A. Almainan, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Scattered Complex Laguerre-Gaussian

- Spectrum to Determine the 2-D Transverse Position of a Spherical Silica Particle," in *Conference on Lasers and Electro-Optics*, ed: Optical Society of America, 2019, p. JTu2A.57.
- [5]. H. Vettikalladi, W. T. Sethi, M. A. Alkanhal, and M. Himdi, "Sub-THz Dipole Antenna for Future 5G Wireless Communication," in *2019 2nd International Conference on Computer Applications & Information Security (ICCAIS)*, 2019, pp. 1-4.
- [6]. H. Song, Z. Zhao, R. Zhang, J. Du, H. Song, L. Li, K. Pang, C. Liu, A. Almaiman, R. Bock, M. Tur, and A. E. Willner, "Using an Integrated Silicon Emitter to Generate Two Coaxial Orbital-Angular-Momentum Beams with Tunable Mode Orders and Broad Bandwidth," in *Conference on Lasers and Electro-Optics*, ed: Optical Society of America, 2019, p. SM1J.5.
- [7]. [18] W. T. Sethi, K. Issa, and S. A. Alshebeili, "An Inkjet-Printed UWB-MIMO Antenna with Band Rejection Capability for Wireless Network Applications," in *2019 2nd International Conference on Computer Applications & Information Security (ICCAIS)*, 2019, pp. 1-5.
- [8]. M. M. Rahman, E. A. Al-Ammar, H. S. Das, and W. Ko, "Technical Assessment of Plug-In Hybrid Electric Vehicle Charging Scheduling for Peak Reduction," in *10th international renewable energy congress (IREC). Sousse, Tunisia: IEEE*, 2019.
- [9]. M. H. Qais, H. M. Hasanien, S. Alghuwainem, and M. A. Elgendi, "Output Power Smoothing of Grid-Tied PMSG-Based Variable Speed Wind Turbine Using Optimal Controlled SMES," in *2019 54th International Universities Power Engineering Conference (UPEC)*, ed: IEEE, 2019, pp. 1-6.
- [10]. A. A. Odebawale and M. Abdel-Rahman, "Design and Optical Simulation of a Sensor Pixel for an Optical Readout-Based Thermal Imager," in *2019 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)*, 2019, pp. 1-4.
- [11]. W. A. Malik, W. M. Abdulkawi, A. A. Sheta, and N. F. Alzakari, "A 6 Watts LDMOS Wideband Balanced Power Amplifier," in *2019 16th International Bhurban Conference on Applied Sciences and Technology (IBCAST)*, 2019, pp. 1053-1056.
- [12]. A. Maarouf, W. Ko, and A. S. Nouh, "A Recursive Optimization Algorithm for a Surveillance of a Convex Area," in *2019 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)*, 2019, pp. 1-4.
- [13]. C. Liu, K. Pang, K. Manukyan, O. Reshef, Y. Zhou, J. Patrow, A. Pennathur, H. Song, Z. Zhao, R. Zhang, F. Alishahi, A. Fallahpour, Y. Cao, A. Almaiman, J. M. Dawlaty, N. A. Chaitanya, I. D. Leon, M. Z. Alam, R. W. Boyd, M. Tur, and A. E. Willner, "Resonance Splitting and Enhanced Optical Nonlinearities in ITO-based Epsilon-near-zero Metasurface with Cross-shaped Nanoantennas," in *Conference on Lasers and Electro-Optics*, ed: Optical Society of America, 2019, p. FW4B.5.
- [14]. L. Li, H. Song, R. Zhang, Z. Zhao, C. Liu, K. Pang, H. Song, J. Du, A. N. Willner, A. Almaiman, B. Lynn, R. Bock, M. Tur, and A. E. Willner, "Demonstration of Both Mode and Space Diversity in a 100-Gbit/s QPSK Free-Space Optical Link to Increase System Tolerance to Turbulence," in *Optical Fiber Communication Conference (OFC) 2019*, ed: Optical Society of America, 2019, p. W4A.5.
- [15]. I. Elshafiey, A.-F. Sheta, M. A. N. Uddin, W. M. Abdulkawi, and W. A. Malik, "Adaptive Energy Concentration in Hyperthermia Treatment of Cancer," in *2019 IEEE Asia-Pacific Conference on Applied Electromagnetics (APACE)*, 2019, pp. 1-5.
- [16]. D. M. Diab, B. AsSadhan, H. Binsalleeh, S. Lambotharan, K. G. Kyriakopoulos, and I. Ghafir, "Anomaly Detection Using Dynamic Time Warping," in *2019 IEEE International Conference*

on Computational Science and Engineering (CSE) and IEEE International Conference on Embedded and Ubiquitous Computing (EUC), 2019, pp. 193-198.

- [17]. A. Chahid, T. N. Alotaiby, S. Alshebeili, and T.-M. Laleg-Kirati, "Feature Generation and Dimensionality Reduction using the Discrete Spectrum of the Schrödinger Operator for Epileptic Spikes Detection," in *2019 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, 2019, pp. 2373-2376.
- [18]. Y. Cao, K. Zou, H. Zhou, A. Almaiman, P. Liao, F. Alishahi, A. Fallahpour, K. Manukyan, and A. E. Willner, "Demonstration of Tunable Optical Single-Sideband Generation of 20-Gbit/s OOK and PAM4 Data Channels," in *Optical Fiber Communication Conference (OFC) 2019*, ed: Optical Society of America, 2019, p. M1B.6.
- [19]. F. J. Aparicio-Navarro, T. A. Chadza, K. G. Kyriakopoulos, I. Ghafir, S. Lambotharan, and B. AsSadhan, "Addressing multi-stage attacks using expert knowledge and contextual information," in *2019 22nd Conference on Innovation in Clouds, Internet and Networks and Workshops (ICIN)*, 2019, pp. 188-194.
- [20]. S. Al-Senaidi, A. Alolah, and M. Alkanhal, "Comparative Study of Core Loss Models in Three-Phase Self-Excited Reluctance Generators," in *2019 International Conference on Power Generation Systems and Renewable Energy Technologies (PGSRET)*, 2019, pp. 1-5.
- [21]. [32] T. N. Alotaiby, S. R. Alrshoud, S. A. Alshebeili, and M. H. Alhumaid, "Automatic Epileptic Tendency Screening using Statistical Features of MEG Data and SVM," in *2019 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2019, pp. 1-3.
- [22]. [] T. N. Alotaiby, A. Alhakbani, N. Alwhibi, G. Alotaibi, and S. A. Alshebeili, "Locality Sensitive Hashing for ECG-based Subject Identification," in *2019 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2019, pp. 1-4.
- [23]. A. Almajman, Y. Cao, F. Alishahi, A. Fallahpour, L. Li, P. Liao, K. Zou, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Experimental Characterization of Low-Latency Multiple and Tunable Delays of Wideband Analog LFM Signal Using Concatenated Linearly Chirped and Sampled FBGs," in *Conference on Lasers and Electro-Optics*, ed. San Jose, California: Optical Society of America, 2019, p. SF2N.3.
- [24]. F. Alishahi, A. Fallahpour, K. Zou, Y. Cao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, P. Liao, A. Almajman, H. Zhou, K. Manukyan, T. J. Kippenberg, and A. E. Willner, "Experimental Generation and Time Multiplexing of Data- Carrying Nyquist Sinc Shaped Channels from a Single Microresonator-based Kerr Frequency Comb," in *Optical Fiber Communication Conference (OFC) 2019*, ed: Optical Society of America, 2019, p. W3I.2.
- [25]. J. Ali and M. Altamimi, "Energy Consumption of Data Transfer Over Multiple-Input Multiple-Output Systems," in *The 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)*, 2019, pp. 1-5.
- [26]. O. Aldayel, "Constrained Optimization for Millimeter Array Diagnosis," in *2019 IEEE Radar Conference (RadarConf)*, 2019, pp. 1-6.
- [27]. A. M. Albishi and O. M. Ramahi, "Highly Sensitive Planar Microwaves Sensor," in *2019 IEEE International Symposium on Antennas and Propagation and USNC-URSI Radio Science Meeting*, 2019, pp. 339-340.
- [28]. F. Alawwad and I. Elshafiey, "Hurricane Monitoring Using Advanced GNSS Reflectometry System," in *2019 IEEE Asia-Pacific Microwave Conference (APMC)*, 2019, pp. 1053-1055.
- [29]. F. Alawwad and I. Elshafiey, "Investigating the Potentials of GPS Reflectometry System in

- Storm Monitoring," in *2019 IEEE Asia-Pacific Conference on Applied Electromagnetics (APACE)*, 2019, pp. 1-6.
- [30]. M. M. Al Shammari and W. Ko, "Photovoltaic-Based Distribution Generation System Integration Effects on the Power Quality Issues on Electrical Distribution Network," in *2019 International Conference on Electrical Engineering Research & Practice (ICEERP)*, 2019, pp. 1-6.
 - [31]. A. M. Abdurraqeb, K. AlSharabi, M. Aljalal, and W. Ko, "Design State Space Feedback and Optimal LQR Controllers for Load Frequency in Hydraulic Power System," in *2019 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)*, 2019, pp. 1-5.
 - [32]. W. M. Abdulkawi and A.-F. A. Sheta, "Two-Bit Chipless RFID for Temperature and Humidity Sensing," in *2019 IEEE Asia-Pacific Microwave Conference (APMC)*, 2019, pp. 1443-1445.
 - [33]. S. Al-Senaidi, A. Alolah, and M. Alkanhal, "Comparative Study of Core Loss Models in Three-Phase Self-Excited Reluctance Generators," in *2019 International Conference on Power Generation Systems and Renewable Energy Technologies (PGSRET)*, 2019, pp. 1-5.

Year 2018

- [1]. M. Shemis, E. Alkhazraji, M. Khan, A. Ragheb, M. Esmail, H. Fathallah, S. Alshebeili, and M. Khan, "Coherent Free-space/Fiber L-band Optical Communication using Self-Injection Locked InAs/InP Quantum-dash Laser," in *CLEO: Applications and Technology*, 2018, p. JTu2A. 34.
- [2]. S. U. Rehman and M. A. Alkanhal, "System modeling of a quad-band antenna using the singularity expansion method," in *2018 International Applied Computational Electromagnetics Society Symposium (ACES)*, 2018, pp. 1-2.
- [3]. F. Razzaz and M. A. Alkanhal, "Terahertz evanescent wave tunneling in bianisotropic thin films," in *2018 International Applied Computational Electromagnetics Society Symposium (ACES)*, 2018, pp. 1-2.
- [4]. A. Ragheb, S. Alshebeili, M. Esmail, and H. Fathallah, "All-Optical 216 Gbps Super-channel Data Switching Using Co-Polarized Pump in SOA," in *2018 International Conference on Internet of Things, Embedded Systems and Communications (IINTEC)*, 2018, pp. 34-37.
- [5]. A. Mohajerin-Ariaei, F. Alishahi, A. Fallahpour, Y. Cao, A. Almainan, C. Bao, P. Liao, B. Shamee, J. Touch, M. Tur, C. Langrock, M. M. Fejer, and A. E. Willner, "Optical mitigation of inter-channel crosstalk for multiple spectrally overlapped 40-Gbit/s QPSK WDM channels using nonlinear wave mixing," in *Optics InfoBase Conference Papers* vol. Part F84-O, ed, 2018.
- [6]. P. Liao, K. Zou, C. Bao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, Y. Cao, A. Almainan, F. Alishashi, A. Mohajerin-Ariaei, A. Fallahpour, M. Tur, T. J. Kippenberg, and A. E. Willner, "Chip-scale dual-comb source using a breathing soliton with an increased resolution," in *Optics InfoBase Conference Papers* vol. Part F92-C, ed, 2018.
- [7]. P. Liao, C. Bao, K. Zou, A. Kordts, L. Zhang, M. Karpov, P. M. H. Pfeiffer, A. Almainan, Y.

- Cao, F. Alishashi, A. Mohajerin-Ariaei, A. Fallahpour, M. Tur, T. J. Kippenberg, and A. E. Willner, "Generation of multiple side lines around Kerr comb lines by a second pump coupled into the soliton resonance," in *Optics InfoBase Conference Papers* vol. Part F94-C, ed, 2018.
- [8]. P. Liao, C. Bao, A. Alaiman, A. Kordts, M. Karpov, M. H. P. Pfeiffer, L. Zhang, F. Alishahi, K. Zou, Y. Cao, A. M. Ariaei, A. Fallahpour, M. Tur, Y. Akasaka, T. J. Kippenberg, and A. E. Willner, "Demonstration of multiple Kerr-frequency-comb generation using different lines from another Kerr comb located up to a 50 km distance," in *Optics InfoBase Conference Papers* vol. Part F84-O, ed, 2018.
 - [9]. B. Hamzi, T. N. AlOtaiby, S. AIShebeili, and A. AlAnqary, "Kernel Methods and the Maximum Mean Discrepancy for Seizure Detection," in *2018 1st International Conference on Computer Applications & Information Security (ICCAIS)*, 2018, pp. 1-6.
 - [10]. E. A. Hamed, M. Atef, and M. Abbas, "A Low Power Programmable Gain Integrated Front-End for Electromyogram Signal Sensing," in *2018 25th International Conference" Mixed Design of Integrated Circuits and System"(MIXDES)*, 2018, pp. 103-108.
 - [11]. A. Fallahpour, A. Mohajerin-Ariaei, A. Alaiman, Y. Cao, F. Alishahi, C. Bao, P. Liao, M. Ziyadi, B. Shamee, D. Starodubov, M. Tur, C. Langrock, M. M. Fejer, J. Touch, and A. E. Willner, "Demonstration of 30Gbit/s QPSK-to-PAM4 data-format and wavelength conversion to enable all-optical gateway from long-haul to datacenter," in *2018 Optical Fiber Communications Conference and Exposition, OFC 2018 - Proceedings*, ed, 2018.
 - [12]. Y. Cao, K. Zou, A. Alaiman, A. Mohajerin-Ariaei, C. Bao, P. Liao, F. Alishahi, A. Fallahpour, and A. E. Willner, "Enhancing the performance of an optical high-order QAM communication channel by adding correlated data to robust neighboring channels in a heterogeneous network," in *Optics InfoBase Conference Papers* vol. Part F92-C, ed, 2018.
 - [13]. A. Bin-Halabi, A. Nouh, and M. Abouelela, "Interactive Energy Management System to Avoid Rolling Blackouts," in *2018 5th International Conference on Electric Power and Energy Conversion Systems (EPECS)*, 2018, pp. 1-7.
 - [14]. S. Belgurzi, A. Nouh, and I. Elshafiey, "Artifact Canceler of ECG Signal Using Combined ANFIS LMS and Wavelet Analysis," in *2018 International Conference On Advances in Communication and Computing Technology (ICACCT)*, 2018, pp. 29-34.
 - [15]. A. Alwarafy, M. Alresheedi, A. F. Abas, and A. Alsanie, "Performance evaluation of space time coding techniques for indoor visible light communication systems," in *2018 International Conference on Optical Network Design and Modeling (ONDM)*, 2018, pp. 88-93.
 - [16]. S. H. Alsuhaihi, Y. Khan, and N. H. Malik, "Frequency Response Analysis of Medium Voltage Distribution Transformer," in *2018 1st International Conference on Advanced Research in Engineering Sciences (ARES)*, 2018, pp. 1-7.
 - [17]. M. Alshereef and M. Abdel-Rahman, "Electrically Small Resonators-Based Infrared Imaging Pixel Configuration," in *The 9th International Conference on Metamaterials, Photonic Crystals and Plasmonics*, 2018.
 - [18]. S. Al-Senaidi, A. Alolah, and M. A. Alkanhal, "More accurate modeling of core loss in self-excited reluctance generator," in *2018 XIII International Conference on Electrical Machines (ICEM)*, 2018, pp. 2264-2268.
 - [19]. A. Alaiman, A. Mohajerin-Ariaei, G. Xie, Z. Zhao, Y. Cao, F. Alishahi, P. Liao, C. Bao, A. Fallahpour, B. Shamee, Y. Akasaka, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Experimental utilization of repeated spatial-mode shifting for achieving discrete delays in a free-space recirculating loop," in *Optics InfoBase Conference Papers* vol. Paper, ed, 2018.

- [20]. A. Almaiman, Y. Cao, A. Mohajerin-Ariaei, F. Alishahi, A. Fallahpour, D. Starodubov, K. Zou, P. Liao, C. Bao, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Fine and coarse tunability over a continuous 8.1-ns delay range with access to multiple possible delays using a frequency comb," in *Optics InfoBase Conference Papers* vol. Part F92-C, ed, 2018.
- [21]. A. Almaiman, Y. Cao, A. Mohajerin-Ariaei, F. Alishahi, A. Fallahpour, D. Starodubov, P. Liao, C. Bao, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Coarse and fine continuously tunable optical delay using the time-of-flight in fiber bragg gratings and wavelength conversion," in *2018 Optical Fiber Communications Conference and Exposition, OFC 2018 - Proceedings*, ed, 2018.
- [22]. Y. A. Alkhlefat, A. Ragheb, M. A. Esmail, and S. Alshebeili, "Millimeter Wave Switching in Radio over Fiber Networks using Semiconductor Optical Amplifier (SOA)," in *2018 21st Saudi Computer Society National Computer Conference (NCC)*, 2018, pp. 1-5.
- [23]. E. Alkhazraji, A. Ragheb, Q. Tareq, M. Esmail, H. Fathallah, S. Alshebeili, and M. Khan, "Terahertz photonic signal generation employing InAs/InP quantum dash laser," in *2018 Asia Communications and Photonics Conference (ACP)*, 2018, pp. 1-2.
- [24]. F. Alishahi, P. Liao, A. Mohajerin-Ariaei, A. Fallahpour, A. Almaiman, Y. Cao, A. Kordts, M. Karpov, M. H. P. Pfeiffer, T. J. Kippenberg, and A. E. Willner, "Tunable insertion of uniform-amplitude multiple coherent lines into a Kerr frequency comb using Nyquist pulse generation," in *Optics InfoBase Conference Papers* vol. Part F94-C, ed, 2018.
- [25]. E. A. Al-Ammar, G. A. Ghazi, and W. Ko, "New technique for optimal capacitor placement and sizing in radial distribution systems," in *2018 10th International Conference on Computational Intelligence and Communication Networks (CICN)*, 2018, pp. 115-120.
- [26]. Y. Aladadi, A. F. Abas, A. Alwarafy, and M. T. Alresheedi, "Multi-user frequency-time coded quantum key distribution network using a plug-and-play system," in *2018 International Conference on Optical Network Design and Modeling (ONDM)*, 2018, pp. 53-58.
- [27]. W. M. Abdulkawi and A.-F. A. Sheta, "Design of chipless RFID tag based on stepped impedance resonator for IoT applications," in *2018 International Conference on Innovation and Intelligence for Informatics, Computing, and Technologies (3ICT)*, 2018, pp. 1-4.
- [28]. S. Al-Senaidi, A. Alolah, and M. A. Alkanhal, "More accurate modeling of core loss in self-excited reluctance generator," in *2018 XIII International Conference on Electrical Machines (ICEM)*, 2018, pp. 2264-2268.

Year 2017

- [1]. M. Shemis, M. Khan, E. Alkhazraji, A. Ragheb, H. Fathallah, S. Alshebeili, and M. Khan, "Self-injection locked InAs/InP quantum-dash laser for high capacity optical communication system," in *Conference on Lasers and Electro-Optics/Pacific Rim*, 2017, p. s1731.
- [2]. M. Shemis, E. Alkhazraji, A. Ragheb, M. Esmail, H. Fathallah, S. Alshebeili, and M. Khan, "10 m Free space 128Gbit/s transmission via self-injection locked quantum-dash laser," in *2017 IEEE Photonics Conference (IPC)*, 2017, pp. 717-718.

- [3]. M. Shemis, E. Alkhazraji, M. Khan, A. Ragheb, H. Fathallah, S. Alshebeili, and M. Khan, "Self-injection locked quantum-dash multi-wavelength laser," in *2017 IEEE Photonics Conference (IPC)*, 2017, pp. 669-670.
- [4]. M. Shemis, E. Alkhazraji, M. Khan, M. Esmail, A. Ragheb, H. Fathallah, S. Alshebeili, and M. Khan, "Self-Injection Locked L-band Quantum-dash Laser Diode as a Source for Indoor Optical Wireless Communication," in *Asia Communications and Photonics Conference*, 2017, p. M3G. 5.
- [5]. W. T. Sethi, M. R. AlShareef, H. M. Behairy, M. Ashraf, and S. Alshebeili, "Dual polarized semi-circular MIMO/diversity antenna based on LTCC technology," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-5.
- [6]. S. U. Rehman and M. A. Alkanhal, "Time to Frequency Modeling of UWB Antennas," in *2017 9th IEEE-GCC Conference and Exhibition (GCCCE)*, 2017, pp. 1-9.
- [7]. N. Nizam-Uddin and I. Elshafiey, "SAR Optimization for Wideband Hyperthermia Treatment System," in *The IEEE 8th International Conference on Information Technology (ICIT)*, Amman, Jordan, 2017.
- [8]. A. Mohajerin-Ariaei, M. Ziyadi, Y. Cao, A. Almaiman, F. Alishahi, A. Fallahpour, C. Bao, P. Liao, B. Shamee, J. Touch, M. Tur, C. Langrock, M. M. Fejer, and A. E. Willner, "Demonstration of tunable mitigation of interchannel interference of spectrally overlapped 16-QAM/QPSK data channels using wave mixing of delayed copies," in *Optics InfoBase Conference Papers* vol. Part F40-O, ed, 2017.
- [9]. W. A. Malik, A. A. Sheta, and I. Elshafiey, "An Energy Efficient Power Amplifier Module for Wireless nodes of Cellular IoT," in *The IEEE 8th International Conference on Information Technology (ICIT)*, Amman, Jordan, 2017.
- [10]. W. A. Malik, A. A. Sheta, and I. Elshafiey, "A Broadband High Efficiency Class AB GaN HEMT Balanced Power Amplifier," in *The IEEE 8th International Conference on Information Technology (ICIT)*, Amman, Jordan, 2017.
- [11]. M. T. A. Khan, M. Shemis, A. M. Ragheb, H. Fathallah, S. Alshebeili, and M. Khan, "64 Gb/s quantum-dash laser based indoor free space optical communication," in *2017 26th Wireless and Optical Communication Conference (WOCC)*, 2017, pp. 1-4.
- [12]. M. Khan, M. Shemis, E. Alkhazraji, A. Ragheb, M. Esmail, H. Fathallah, S. Alshebeili, and M. Khan, "Optical Wireless Communication at 100 Gb/s Using L-band Quantum-dash Laser," in *Conference on Lasers and Electro-Optics/Pacific Rim*, 2017, p. s1729.
- [13]. M. Khan, E. Alkhazraji, M. Shemis, A. Ragheb, H. Fathallah, S. Alshebeili, and M. Khan, "Up to 128 Gb/s DP-QPSK Transmission Using Injection-locked Quantum-dash Laser for NG-PONs," in *Asia Communications and Photonics Conference*, 2017, p. Su2A. 49.
- [14]. M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Vehicular Radar and Communications for Traffic Capacity Improvement in Realistic Urban Road," in *Asia Pacific Microwave Conference (APMC2017)*, Kuala Lumpur, Malaysia, 2017.
- [15]. M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Mutual Interference Mitigation in Automotive Radars under Realistic Road Environments," in *The IEEE 8th International Conference on Information Technology (ICIT)*, Amman, Jordan, 2017.
- [16]. M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "High Accuracy GPS-free Vehicular Positioning based on V2V Communications and RSU-assisted DOA Estimation," in *The 9th IEEE GCC Conference & Exhibition*, Manama, Bahrain, 2017.

- [17]. A. Hazza, M. Shoaib, A. Saleh, and F. Elsaved, "Classification of Single Carrier Digital Modulations in Presence of Receiver Parameter Uncertainties," in *2017 9th IEEE-GCC Conference and Exhibition (GCCCE)*, 2017, pp. 1-6.
- [18]. E. A. Hamed, M. Atef, and M. Abbas, "An ultralow-power high-gain biopotential amplifier for electromyogram signal recording," in *2017 Japan-Africa Conference on Electronics, Communications and Computers (JAC-ECC)*, 2017, pp. 33-36.
- [19]. [89] A. Fallahpour, M. Ziyadi, A. Kordts, C. Bao, P. Liao, A. Mohajerin-Ariaei, M. Karpov, M. H. P. Pfeiffer, Y. Cao, A. Almainan, F. Alishahi, B. Shamee, L. Paraschis, M. Tur, C. Langrock, M. M. Fejer, J. Touch, T. J. Kippenberg, and A. E. Willner, "Experimental generation of a 64-QAM by optically aggregating three independent QPSK channels using nonlinear wave mixing of multiple Kerr comb lines," in *2017 Conference on Lasers and Electro-Optics, CLEO 2017 - Proceedings* vol. 2017-Janua, ed, 2017.
- [20]. A. Fallahpour, M. Hyadi, A. Mohajerin-Ariaei, Y. Cao, A. Almainan, F. Alishahi, C. Bao, P. Liao, B. Shamee, L. Paraschis, M. Tur, C. Langrock, M. M. Fejer, J. Touch, and A. E. Winner, "Experimental demonstration of tunable optical de-aggregation of each of multiple wavelength 16-QAM Channels into Two 4-PAM Channels," in *2017 Optical Fiber Communications Conference and Exhibition, OFC 2017 - Proceedings*, ed, 2017.
- [21]. I. Elshafiey, N. Nizam-Uddin, M. A. Hossain, M. Alam, and M. N. Tabassum, "Nearfield imaging for noninvasive monitoring of hyperthermia treatment," in *AIP Conference Proceedings*, Atlanta, GA, USA 2017, p. 060006.
- [22]. H.-J. Choi, S. Park, W. Ko, and E. A. Al-Ammar, "Implementation of AMI in city energy management systems," in *2017 14th International Multi-Conference on Systems, Signals & Devices (SSD)*, 2017, pp. 372-376.
- [23]. [93] H.-J. Choi, S. Park, Y. Kim, W. Ko, and E. A. Al-Ammar, "An Extensive Experience of Demand Side Management Program: Case Study," in *2017 International Renewable and Sustainable Energy Conference (IRSEC)*, 2017, pp. 1-6.
- [24]. Y. Cao, A. Almainan, M. Ziyadi, A. Mohajerin-Ariaei, C. Bao, P. Liao, F. Alishahi, A. Falahpour, Y. Akasaka, C. Langrock, M. Fejer, J. Touch, M. Tur, and A. E. Willner, "Experimental demonstration of tunable optical channel slicing and stitching to enable dynamic bandwidth allocation," in *Optics InfoBase Conference Papers* vol. Part F40-O, ed, 2017.
- [25]. Y. Cao, A. Almainan, Y. Akasaka, F. Alishahi, M. Ziyadi, A. Mohajerin-Ariaei, C. Bao, P. Liao, A. Falahpour, B. Shamee, T. Ikeuchi, S. Takasaka, R. Sugizaki, J. Touch, M. Tur, and A. Willner, "Experimental demonstration of Raman-assisted phase sensitive amplifier with reduced ase noise level and more than 25dB net gain," in *Optics InfoBase Conference Papers* vol. Part F40-O, ed, 2017.
- [26]. [S. Belgurzi, A. Nouh, and I. Elshafiey, "A Power Line Interference Canceler using Wavelet Transform and Adaptive Filter for ECG Signal," in *Computer and Applications (ICCA), 2017 International Conference on*, 2017, pp. 206-210.
- [27]. S. Belgurzi, I. Elshafiey, and A. Nouh, "Artifacts removal from ECG signal using an ANFIS technique," in *Cybernetics and Computational Intelligence (CyberneticsCom), 2017 IEEE International Conference on*, 2017, pp. 147-152.
- [28]. C. Bao, P. Liao, A. Kordts, L. Zhang, M. Karpov, M. H. P. Pfeiffer, A. Matsko, G. Xie, Y. Cao, Y. Yan, A. Almainan, M. Ziyadi, A. Mohajerin-Ariaei, A. Fallahpour, F. Alishahi, M. Tur, L. Maleki, T. J. Kippenberg, and A. E. Willner, "Experimental demonstration of dual-comb generation by XPM between two polarization states in a microresonator," in *Optics*

- [29]. M. S. Baig, A. F. Abas, and M. T. Alresheedi, "Time domain diversity combining transmitter for spectrally efficient asymmetrically and symmetrically clipped optical (SEASCO) OFDM system," in *2017 8th International Conference on Information Technology (ICIT)*, 2017, pp. 785-789.
- [30]. A. Ba-Hammam, S. Alhulwah, M. Altamimi, and S. Alshebeili, "Authentication using ECG signals," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-4.
- [31]. R. R. Al-Yami, T. N. Alotaiby, L. M. Aljafar, S. A. Alshebeili, and J. Zouhair, "Classification of single-lead ECG signal to normal and abnormal subjects using histogram-based features," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-3.
- [32]. Y. M. Alsuwayyeh, H. Vettikalladi, H. M. Behairy, and M. A. Alkanhal, "Ka band aperture-coupled patch antenna with stacked parasitic strips based on LTCC technology for circular polarization," in *2017 International Applied Computational Electromagnetics Society Symposium (ACES)*, 2017, pp. 1-2.
- [33]. [103] Y. A. Alshoudokhi, S. A. Alshebeili, M. A. Ashraf, M. R. AlShareef, and H. M. Behairy, "Recent developments in chipless Ultra-Wide-Band (UWB) Radio Frequency Identification (RFID) systems," in *2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC)*, 2017, pp. 535-538.
- [34]. A. M. Al-Shaanan, A. H. A. Alohaly, and W. Ko, "Design strategies for a Big Mosque to reduce electricity consumption in Kingdom of Saudi Arabia," in *Proceedings of The 21st World Multi-Conference on Systemics, Cybernetics and Informatics (WMSCI 2017)*, 2017.
- [35]. A. M. Al-Shaanan, "Management of Power Systems Interconnection to Realize Technical and Economical Potentials," in *2017 9th IEEE-GCC Conference and Exhibition (GCCCE)*, 2017, pp. 1-10.
- [36]. A. M. Al-Shaanan, "Fast fourier transforms for reliability evaluation of smart unit energy production," in *4th IEEE International Conference on Engineering Technologies and Applied Sciences (ICETAS)*, 2017, pp. 1-9.
- [37]. A. Al-Sayadi, H. Vettikalladi, and M. A. Alkanhal, "Millimeter wave antenna based on SIW technology for WLAN/WPAN 5G networks at 60GHz," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-4.
- [38]. O. Alkhalfah, O. Alrabiah, A. Ragheb, M. A. Esmail, and S. Alshebeili, "Investigation and demonstration of 5G signal transmission over fiber/FSO/wireless links," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-4.
- [39]. A. Alkhaibari, A. F. Sheta, and I. Elshafiey, "Notched anti-podal Vivaldi antenna for biomedical applications," in *2017 7th International Conference on Modeling, Simulation, and Applied Optimization (ICMSAO)*, 2017, pp. 1-4.
- [40]. F. Alishahi, A. Mohajerin-Ariaei, A. Almainan, M. Ziyadi, Y. Cao, P. Liao, A. Fallahpour, C. Bao, B. Shamee, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Analog and digital performance of multiple discrete time delays based on a fiber loop with an internal frequency shifter," in *2017 Conference on Lasers and Electro-Optics, CLEO 2017 - Proceedings* vol. 2017-Janua, ed, 2017.

- [41]. S. H. Al-Ghannam, Y. Khan, U. Ahmad, N. H. Malik, A. A. Al-Arainy, and B. S. Al-Shahrani, "Development of open (Broken) conductor detection system for high resistivity areas," in *2017 Saudi Arabia Smart Grid (SASG)*, 2017, pp. 1-8.
- [42]. M. Alfouzan, B. Al-Otaibi, K. Issa, and S. A. Alshebeili, "Near infra red (NIR)-based classification of orange juice," in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*, 2017, pp. 1-5.
- [43]. O. Aldayel, V. Monga, and M. Rangaswamy, "Transmit MIMO beampattern design under constant modulus and spectral interference constraints," in *2017 IEEE Radar Conference (RadarConf)*, 2017, pp. 1131-1136.
- [44]. O. Aldayel, T. Guo, V. Monga, and M. Rangaswamy, "Adaptive sequential refinement: A tractable approach for ambiguity function shaping in cognitive radar," in *2017 51st Asilomar Conference on Signals, Systems, and Computers*, 2017, pp. 573-577.
- [45]. A. Albishi and O. M. Ramahi, "A high-Q annular ring antenna as a microwave near-field material sensor," in *2017 IEEE International Symposium on Antennas and Propagation & USNC/URSI National Radio Science Meeting*, 2017, pp. 1213-1214.
- [46]. A. Albishi and O. M. Ramahi, "Intelligent sensing using a system of multiple microwaves resonators," in *2017 IEEE International Symposium on Antennas and Propagation & USNC/URSI National Radio Science Meeting*, 2017, pp. 225-226.
- [47]. W. M. Adbulkawi and A. A. Sheta, "A compact chipless RFID tag based on frequency signature," in *2017 9th IEEE-GCC Conference and Exhibition (GCCCE)*, 2017, pp. 1-4.
- [48]. M. Abdel-Rahman, N. Al-Khalli, M. Zia, M. Alduraibi, B. Ilahi, E. Awad, and N. Debbar, "Fabrication and design of vanadium oxide microbolometer," in *AIP Conference Proceedings*, 2017, p. 020001.
- [49]. A. A. Al-Shamma'a, A. M. Noman, K. E. Addoweesh, A. A. Alabduljabbar, and A. Alolah, "Modeling, control, and analysis of a three-phase hexagonal voltage source converter for grid-connected photovoltaic systems," in *IECON 2017-43rd Annual Conference of the IEEE Industrial Electronics Society*, 2017, pp. 2582-2587.
- [50]. A. M. Noman, A. A. Al-Shamma'a, K. E. Addoweesh, A. A. Alabduljabbar, and A. I. Alolah, "A survey on two level and cascaded multilevel inverter topologies for grid connected PV system," in *IECON 2017-43rd Annual Conference of the IEEE Industrial Electronics Society*, 2017, pp. 2369-2376.
- [51]. A. M. Noman, A. A. Al-Shamma'a, K. E. Addoweesh, A. A. Alabduljabbar, and A. I. Alolah, "Simulation and comparison of three phase CHB MLI and three phase cascaded voltage source MLI topologies for grid connected PV applications," in *IECON 2017-43rd Annual Conference of the IEEE Industrial Electronics Society*, 2017, pp. 2681-2688

Year 2016

- [1]. M. Ziyadi, A. Mohajerin-Ariaei, Y. Cao, A. Alaiman, A. Fallahpour, C. Bao, F. Alishahi, P. Liao, B. Shamee, L. Paraschis, M. Tur, C. Langrock, M. M. Fejer, J. D. Touch, Y. Akasaka, T. Ikeuchi, and A. E. Willner, "Tunable optical de-aggregation of a 40-Gbit/s 16-QAM signal into two 20-Gbit/s 4-PAM signals using a coherent frequency comb and nonlinear processing," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed,

2016.

- [2]. M. Ziyadi, A. Mohajerin-Ariaei, Y. Cao, A. Alaiman, C. Bao, F. Alishahi, A. Fallahpour, P. Liao, A. J. Willner, B. Shamee, S. R. Wilkinson, L. Paraschis, M. Tur, C. Langrock, M. M. Fejer, J. D. Touch, and A. E. Willner, "Tunable ROADM with crosstalk reduction for overlapped 20-25 Gbaud QPSK WDM channels using wave mixing," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [3]. K. Zeb, B. AsSadhan, J. Al-Muhtadi, and S. Alshebeili, "Anomaly detection using Wavelet-based estimation of LRD in packet and byte count of control traffic," in *2016 7th International Conference on Information and communication Systems (ICICS)*, 2016, pp. 316-321.
- [4]. M. N. Tabassum, M. A. Hadi, and S. Alshebeili, "CS based processing for high resolution GSM passive bistatic radar," in *2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2016, pp. 2229-2233.
- [5]. H. N. Shaman, W. A. Alomar, A. O. AlAmoudi, S. K. Almorqi, and S. A. Alshebeili, "Compact slow-wave millimeter-wave bandpass filter (BPF) using open-loop resonator," in *2016 21st International Conference on Microwave, Radar and Wireless Communications (MIKON)*, 2016, pp. 1-4.
- [6]. W. T. Sethi, H. Vettikalladi, H. Fathallah, and M. Himdi, "1× 2 Equilateral Triangular Dielectric Resonator Nantenna array for optical communication," in *2016 7th International Conference on Sciences of Electronics, Technologies of Information and Telecommunications (SETIT)*, 2016, pp. 7-9.
- [7]. [125] W. T. Sethi, M. Ashraf, S. Alshebeili, M. R. Al-Shareef, and H. M. Behairy, "Design of dual polarized hybrid LTCC antenna for UWB RFID applications," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-4.
- [8]. S. U. Rehman and M. A. Alkanhal, "Characterization of Ultra-wide band diamond shaped monopole using singularity expansion method," in *2016 Progress in Electromagnetic Research Symposium (PIERS)*, 2016, pp. 431-434.
- [9]. A. Ramadan and M. Abbas, "Defect diagnoses and localization methodology for pipelined ADCs," in *2016 IEEE 21st International Mixed-Signal Testing Workshop (IMSTW)*, 2016, pp. 1-5.
- [10]. [128] A. Ragheb, M. A. Esmail, H. Fathallah, and S. Al-Alshebeili, "Superchannel generation and transmission for flex-grid optical networks using reconfigurable DP/MQAM/subcarriers," in *2016 4th International Conference on Control Engineering & Information Technology (CEIT)*, 2016, pp. 1-4.
- [11]. [129] A. Omar, S. Al-Saif, M. A. Ashraf, and S. Alshebeili, "Design and analysis of millimeter wave series fed microstrip patch array for next generation wireless communication systems," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.
- [12]. N. Nizam-Uddin, I. Elshafiey, and A. F. A. Sheta, "Characterization of power amplifier for wideband hyperthermia treatment system," in *2016 IEEE Asia-Pacific Conference on Applied Electromagnetics (APACE)*, 2016, pp. 323-327.
- [13]. N. Nizam-Uddin and I. Elshafiey, "Transmission line approach for energy localization in wideband hyperthermia treatment system," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-4.

- [14]. A. Mohajerin-Ariaei, M. Ziyadi, A. Alaiman, Y. Cao, C. Bao, P. Liao, B. Shamee, F. Alishahi, A. Fallahpour, M. R. Chitgarha, A. J. Willner, Y. Akasaka, T. Ikeuchi, S. Wilkinson, J. Touch, M. Tur, C. Langrock, M. M. Fejer, and A. E. Willner, "Demonstration of multiplexing and transmission of QPSK-to-16QAM channels over 100 km using wave mixing for aggregation and noise mitigation," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [15]. A. Mohajerin-Ariaei, A. Alaiman, M. Ziyadi, Y. Cao, A. Fallahpour, C. Bao, F. Alishahi, P. Liao, B. Shamee, Y. Akasaka, T. Ikeuchi, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Analog performance of multiple, discretely tunable time delays based on a frequency comb and a chromatic dispersion element," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [16]. P. Liao, C. Bao, P. M. H. Peter, K. Maxim, Y. Yan, L. Zhang, Y. Cao, A. Alaiman, M. Ziyadi, A. J. Willner, S. R. Wilkinson, M. Tur, T. J. Kippenberg, and A. E. Willner, "Wavelength and pump power characterization of low-phase-noise Kerr frequency comb lines," in *Optical Fiber Communications Conference and Exhibition, OFC* ed, 2016.
- [17]. P. Liao, C. Bao, A. Kordts, K. Maxim, P. M. H. Peter, L. Zhang, Y. Cao, A. Alaiman, A. M. Ariaei, M. Ziyadi, T. J. Kippenberg, and A. E. Willner, "Pump-Phase-Noise-Tolerant Wavelength Multicasting for Coherent Communications using Kerr Frequency Combs," in *Frontiers in Optics* ed: Optical Society of America, 2016, p. FTh4E.3.
- [18]. [136] M. I. Khalid, S. A. Aldosari, S. A. Alshebeili, and T. Alotaibi, "Threshold based MEG data classification for healthy and epileptic subjects," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-3.
- [19]. [137] U. Khaled, S. Alzahrani, and Y. Khan, "Dielectric properties improvement of LDPE based on nano fillers," in *2016 IEEE International Conference on High Voltage Engineering and Application (ICHVE)*, 2016, pp. 1-4.
- [20]. [138] U. Khaled, F. Alotaibi, and Y. Khan, "Performance evaluation of two stages electrostatic precipitator novel design under loading conditions," in *2016 IEEE International Conference on High Voltage Engineering and Application (ICHVE)*, 2016, pp. 1-4.
- [21]. [139] M. A. Hossain, I. Elshafiey, and A. Al-Sanie, "Cooperative vehicular positioning with VANET in urban environments," in *IEEE Asia-Pacific Conference on Applied Electromagnetics (APACE)*, Langkawi, Malaysia, 2016.
- [22]. [140] O. M. Haraz, M. Ashraf, S. Alshebili, M. R. AlShareef, and H. M. Behairy, "Design of UWB chipless RFID tags using 8-bit open circuit stub resonators," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.
- [23]. [141] O. M. Haraz, M. Ashraf, S. Alshebili, M. R. AlShareef, and H. M. Behairy, "UWB monopole antenna chipless RFID tags using 8-bit open circuit stub resonators," in *2016 21st International Conference on Microwave, Radar and Wireless Communications (MIKON)*, 2016, pp. 1-4.
- [24]. [142] E. A. Hamed, M. Atef, M. Abbas, and R. Gharieb, "Transferring electromyogram signal between limbs," in *2016 Fourth International Japan-Egypt Conference on Electronics, Communications and Computers (JEC-ECC)*, 2016, pp. 123-126.
- [25]. [143] I. Elshafiey and M. A. Hossain, "Wideband electromagnetic nearfield imaging using compressed sensing," in *Proceedings of the 4th Advanced Electromagnetics Symposium AES Torremolinos – Malaga, Spain*, 2016.

- [26]. [144] Y. Cao, M. Ziyadi, A. Mohajerin-Ariaei, A. Almaiman, F. Alishahi, C. Bao, P. Liao, A. Falahpour, B. Shamee, C. Langrock, M. Fejer, M. Tur, and A. E. Willner, "Inter-channel interference mitigation of heterogeneous wavelength-overlapped channels of different baud rates and pulse shapes using nonlinear optical signal processing," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [27]. [145] Y. Cao, A. Almaiman, M. Ziyadi, P. Liao, A. Mohajerin-Ariaei, F. Alishahi, C. Bao, A. Falahpour, B. Shamee, A. Willner, Y. Akasaka, T. Ikeuchi, S. Wilkinson, J. Touch, M. Tur, and A. E. Willner, "Demonstration of automatically phase-locked self-homodyne detection with a low-power pilot tone based on brillouin amplification and optical frequency combs," in *2016 Optical Fiber Communications Conference and Exhibition, OFC 2016*, ed, 2016.
- [28]. [146] C. Bao, P. Liao, M. H. P. Pfeiffer, L. Zhang, M. Karpov, A. Kordts, Y. Cao, Y. Yan, A. Almaiman, G. Xie, A. Mohajerin-Ariaei, L. Li, M. Ziyadi, S. R. Wilkinson, M. Tur, T. J. Kippenberg, and A. E. Willner, "Experimental generation of high-coherence sub-prime comb lines with multiple sub-lines in a Kerr frequency comb using dual pumps," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [29]. [147] C. Bao, P. Liao, M. H. P. Pfeiffer, M. Karpov, A. Kordts, L. Zhang, Y. Yan, G. Xie, Y. Cao, A. Almaiman, M. Ziyadi, Z. Zhao, L. Li, A. Mohajerin-Ariaei, S. R. Wilkinson, M. Tur, M. M. Fejer, T. J. Kippenberg, and A. E. Willner, "Experimental demonstration of 7-fold Multicasting of a 20-Gbaud QPSK signal using Kerr frequency combs," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [30]. [148] C. Bao, P. Liao, Y. Cao, G. Xie, A. Kordts, L. Zhang, M. Karpov, M. H. P. Pfeiffer, C. Liu, M. Ziyadi, Y. Yan, A. Almaiman, A. Mohajerin-Ariaei, F. Alishahi, T. J. Kippenberg, and A. E. Willner, "Experimental Demonstration of Inserting Phase-Locked Lines into Kerr Combs using Electro-Optical Modulation," in *Frontiers in Optics* ed: Optical Society of America, 2016, p. FTh5G.2.
- [31]. [149] Y. Ba-khuraisa, A. Al-Hasani, I. Elshafiey, A. F. Sheta, and M. F. Aboud, "Experimental implementation of MPPT for PV systems," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-4.
- [32]. [150] M. Atef, A. Atef, and M. Abbas, "Low-power transimpedance amplifier for near infrared spectroscopy," in *2016 IEEE International Symposium on Circuits and Systems (ISCAS)*, 2016, pp. 2423-2426.
- [33]. [151] A. Atef, M. Atef, M. Abbas, and E. E. M. Khaled, "High-sensitivity regulated inverter cascode transimpedance amplifier for near infrared spectroscopy," in *2016 Fourth International Japan-Egypt Conference on Electronics, Communications and Computers (JEC-ECC)*, 2016, pp. 99-102.
- [34]. [152] B. Aqlan, H. Vettikalladi, and M. A. Alkanhal, "High gain SIW-based antenna with superstrate for automotive radar applications," in *2016 Loughborough Antennas & Propagation Conference (LAPC)*, 2016, pp. 1-5.
- [35]. [153] S. Al-Saif, A. Al-Omar, M. A. Ashraf, and S. Alshebeili, "A millimeter wave Vivaldi antenna with contoured platted vias for next generation wireless communication systems," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.
- [36]. [154] M. AlQaisei, A. Sheta, and M. Alkanhal, "Reconfigurable Dielectric Resonator Filters," presented at the 8th International Conference on Latest Trends in Engineering and Technology, Dubai, UAE, 2016.

- [37]. [155] T. N. Alotaiby, S. A. Alshebeili, F. E. Abd El-Samie, A. Alabdulrazak, and E. Alkhnaian, "Channel selection and seizure detection using a statistical approach," in *2016 5th international conference on electronic devices, systems and applications (ICEDSA)*, 2016, pp. 1-4.
- [38]. [156] T. N. Alotaiby, F. E. Abd El-Samie, S. A. Alshebeili, F. M. Alotaibi, K. Aljibrin, S. R. Alrshod, I. M. Alkhanin, and N. Alrajhi, "A common spatial pattern approach for scalp EEG seizure detection," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-5.
- [39]. A. Almaiman, A. Mohajerin-Ariaei, M. Ziyadi, Y. Cao, P. Liao, C. Bao, F. Alishahi, A. Fallahpour, B. Shamee, N. Ahmed, C. Langrock, M. M. Fejer, S. Zach, N. Cohen, M. Tur, and A. E. Willner, "Spurious-free dynamic range characterization of a χ^2 -based PPLN waveguide," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [40]. A. Almaiman, Y. Cao, M. Ziyadi, P. Liao, A. Mohajerin-Ariaei, C. Bao, F. Alishahi, A. Fallahpour, B. Shamee, A. J. Willner, N. Ahmed, Y. Akasaka, T. Ikeuchi, S. Wilkinson, M. Tur, and A. E. Willner, "Experimental demonstration of phase-sensitive regeneration of a 10-20 Gb/s BPSK channel without a phase-locked loop using Brillouin amplification," in *2016 Optical Fiber Communications Conference and Exhibition, OFC 2016*, ed, 2016.
- [41]. L. Aljafar, T. N. Alotaiby, R. R. Al-Yami, S. A. Alshebeili, and J. Zouhair, "Classification of ECG signals of normal and abnormal subjects using common spatial pattern," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-3.
- [42]. F. Alishahi, Y. Cao, M. Ziyadi, A. Mohajerin-Ariaei, A. Fallahpour, A. Almaiman, C. Bao, P. Liao, A. J. Willner, B. Shamee, Y. Akasaka, T. Ikeuchi, S. Takasaka, R. Sugizaki, J. D. Touch, M. Tur, and A. E. Willner, "Tunable all-optical WDM channel selection using Raman assisted cascaded parametric amplification," in *2016 Conference on Lasers and Electro-Optics, CLEO 2016*, ed, 2016.
- [43]. M. M. M. Ali, O. Haraz, S. Alshebeili, and A.-R. Sebak, "Broadband printed slot antenna for the fifth generation (5G) mobile and wireless communications," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.
- [44]. M. M. M. Ali, O. Haraz, and S. Alshebeili, "Design of a dual-band printed slot antenna with utilizing a band rejection element for the 5G wireless applications," in *2016 IEEE International Symposium on Antennas and Propagation (APSURSI)*, 2016, pp. 1865-1866.
- [45]. A. Alhamad and S. Alshebeili, "FPGA implementation of complex-valued QR decomposition," in *2016 5th International Conference on Electronic Devices, Systems and Applications (ICEDSA)*, 2016, pp. 1-4.
- [46]. A. Alfakhri, M. A. Ashraf, A. Alasaad, and S. Alshebeili, "A compact size ultra wideband MIMO antenna with simple decoupling structure," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.
- [47]. A. Alfakhri, M. A. Ashraf, A. Alasaad, and S. Alshebeili, "Design and analysis of compact size dual polarised ultra wideband MIMO antennas with simple decoupling structure," in *2016 21st International Conference on Microwave, Radar and Wireless Communications (MIKON)*, 2016, pp. 1-4.
- [48]. O. Aldayel, V. Monga, and M. Rangaswamy, "Tractable MIMO beampattern design under constant modulus waveform constraint," in *2016 IEEE Radar Conference (RadarConf)*, 2016, pp. 1-6.

- [49]. A. M. Albishi and O. M. Ramahi, "Surface crack detection in metallic materials using sensitive microwave-based sensors," in *2016 IEEE 17th Annual Wireless and Microwave Technology Conference (WAMICON)*, 2016, pp. 1-3.
- [50]. A. Albishi and O. Ramahi, "Ultrasensitive microwave near-field based sensors for crack detection in metallic materials," in *2016 IEEE International Symposium on Antennas and Propagation (APSURSI)*, 2016, pp. 1955-1956.
- [51]. Y. T. Aladadi, A. F. Abas, and M. T. Alresheedi, "Performance optimization of an apodized-chirped fiber Bragg gratings based Chromatic Dispersion Compensator," in *2016 18th International Conference on Transparent Optical Networks (ICTON)*, 2016, pp. 1-5.
- [52]. M. R. Al Shareef, M. A. Ashraf, O. M. Haraz, H. M. Behairy, and S. Alshebili, "Time analysis of frequency coded chipless RFID tag based on CPW multi-band resonators," in *2016 17th International Symposium on Antenna Technology and Applied Electromagnetics (ANTEM)*, 2016, pp. 1-2.