

Rank	Abbreviated Journal Title <i>(linked to journal information)</i>	ISSN	JCR Data						Eigenfactor® Metrics	
			Total Cites	Impact factor	5-Year Impact Factor	Immediacy Index	Articles	Cited Articles Half Life	Eigenfactor or Score	Article Influence Score
1	<a href="#">PROG ENERG COMBUST</a>	0360-1285	4767	15.089	17.778	3	30	7.7	0.01036	5.469
2	<a href="#">ENERG ENVIRON SCI</a>	1754-5692	12849	11.653	12.462	3.087	473	1.8	0.05534	3.46
3	<a href="#">ANNU REV CHEM BIOMOL</a>	1947-5438	331	7.512	7.512	1.045	22	2	0.00197	2.739
4	<a href="#">APPL CATAL B-ENVIRON</a>	0926-3373	23011	5.825	6.031	0.965	480	5.4	0.05059	1.419
5	<a href="#">J CATAL</a>	0021-9517	34516	5.787	6.249	1.025	284	>10.0	0.04014	1.603
6	<a href="#">APPL ENERG</a>	0306-2619	9818	4.781	4.783	0.986	739	2.8	0.02742	1.035
7	<a href="#">J MEMBRANE SCI</a>	0376-7388	33770	4.093	4.357	0.678	612	6.5	0.0629	1.054
8	<a href="#">COMBUST FLAME</a>	0010-2180	10929	3.599	3.643	0.647	309	9.1	0.01648	0.966
9	<a href="#">DYES PIGMENTS</a>	0143-7208	7664	3.532	3.433	0.897	321	5.5	0.01353	0.636
10	<a href="#">CHEM ENG J</a>	1385-8947	18643	3.473	3.691	0.491	1325	3.6	0.05135	0.819
11	<a href="#">FUEL</a>	0016-2361	18943	3.357	4.059	0.619	724	6.6	0.03724	1.037
12	<a href="#">SEP PURIF REV</a>	1542-2119	222	3.154	3.543	0.3	10	5.6	0.00062	1.012
13	<a href="#">DESALINATION</a>	0011-9164	18498	3.041	2.751	0.588	413	5.1	0.04088	0.615
14	<a href="#">CATAL TODAY</a>	0920-5861	23325	2.98	3.464	0.515	487	7.3	0.04185	0.896
15	<a href="#">SEP PURIF TECHNOL</a>	1383-5866	10602	2.894	3.525	0.438	479	5.3	0.02732	0.893
16	<a href="#">ENERG FUEL</a>	0887-0624	18493	2.853	3.047	0.451	796	5.1	0.04257	0.716
17	<a href="#">FUEL PROCESS TECHNOL</a>	0378-3820	7405	2.816	3.493	0.49	251	5.6	0.01733	0.895
18	<a href="#">AEROSOL SCI TECH</a>	0278-6826	4808	2.78	2.808	0.768	125	8.2	0.01008	1.03
19	<a href="#">J SUPERCRIT FLUID</a>	0896-8446	6044	2.732	3.138	0.472	290	5.3	0.01322	0.702
20	<a href="#">J AEROSOL SCI</a>	0021-8502	5291	2.686	2.791	0.465	86	>10.0	0.00696	0.924
21	<a href="#">BIOCHEM ENG J</a>	1369-703X	5701	2.579	2.984	0.354	192	5.4	0.01241	0.675
22	<a href="#">REACT FUNCT POLYM</a>	1381-5148	4515	2.505	2.653	0.282	124	6.3	0.00801	0.593
23	<a href="#">J CHEM TECHNOL BIOT</a>	0268-2575	6796	2.504	2.479	0.573	220	7.6	0.01081	0.602
24	<a href="#">AIChE J</a>	0001-1541	17046	2.493	2.544	0.607	338	>10.0	0.01903	0.768
25	<a href="#">PROCESS BIOCHEM</a>	1359-5113	12134	2.414	2.983	0.355	352	7.4	0.01546	0.684
26	<a href="#">CHEM ENG SCI</a>	0009-2509	26174	2.386	2.653	0.538	641	9.5	0.03784	0.731
27	<a href="#">FLUID PHASE EQUILIBR</a>	0378-3812	9569	2.379	2.338	0.544	342	7.8	0.01563	0.587
28	<a href="#">P COMBUST INST</a>	1540-7489	6582	2.374	2.625		0	7.3	0.0198	0.975
29	<a href="#">J FOOD ENG</a>	0260-8774	14629	2.276	2.927	0.42	424	6.1	0.02707	0.641
30	<a href="#">IND ENG CHEM RES</a>	0888-5885	38417	2.206	2.461	0.419	1805	6.9	0.07193	0.636

31	<a href="#">J IND ENG CHEM</a>	1226-086X	2264	2.145	1.955	0.329	350	3.9	0.00559	0.396
32	<a href="#">COMPUT CHEM ENG</a>	0098-1354	7048	2.091	2.367	0.373	225	8.7	0.01103	0.629
33	<a href="#">J TAIWAN INST CHEM E</a>	1876-1070	755	2.084	2.072	0.394	137	2.2	0.00236	0.401
34	<a href="#">POWDER TECHNOL</a>	0032-5910	10419	2.024	2.265	0.341	593	7.8	0.0175	0.557
35	<a href="#">J CHEM ENG DATA</a>	0021-9568	15169	2.004	2.115	0.295	508	6.5	0.02741	0.476
36	<a href="#">CHEM ENG PROCESS</a>	0255-2701	3820	1.95	2.197	0.303	109	5.7	0.00952	0.587
37	<a href="#">CHEM ENG RES DES</a>	0263-8762	4821	1.927	2.055	0.232	233	7.6	0.00947	0.569
38	<a href="#">BIOPROC BIOSYST ENG</a>	1615-7591	1404	1.869	2	0.267	180	3.9	0.00369	0.453
39	<a href="#">FOOD BIOPROD PROCESS</a>	0960-3085	968	1.855	2.059	0.302	106	5.2	0.00213	0.474
40	<a href="#">DRY TECHNOL</a>	0737-3937	3927	1.814	1.796	0.358	187	7	0.0042	0.267
41	<a href="#">J PROCESS CONTR</a>	0959-1524	2881	1.805	2.285	0.2	180	6.6	0.00622	0.621
42	<a href="#">TRIBOL LETT</a>	1023-8883	2642	1.743	1.816	0.384	172	6	0.00836	0.685
43	<a href="#">PLASMA CHEM PLASMA P</a>	0272-4324	1503	1.728	2.231	0.247	85	7.5	0.00319	0.679
44	<a href="#">ADV POWDER TECHNOL</a>	0921-8831	887	1.65	1.51	0.22	127	3.5	0.00262	0.383
45	<a href="#">MACROMOL REACT ENG</a>	1862-832X	332	1.638	1.418	0.436	39	3	0.00107	0.278
46	<a href="#">J MICROENCAPSUL</a>	0265-2048	2050	1.571	1.772	0.185	81	9.4	0.00224	0.363
47	<a href="#">ADSORPTION</a>	0929-5607	1455	1.553	2.062	0.17	47	5.9	0.00341	0.544
48	<a href="#">TRANSPORT POROUS MED</a>	0169-3913	2723	1.551	1.58	0.353	232	6.3	0.00766	0.554
49	<a href="#">J SURFACTANTS DETERG</a>	1097-3958	919	1.515	1.669	0.16	94	6.1	0.00143	0.309
50	<a href="#">PROCESS SAF ENVIRON</a>	0957-5820	1089	1.495	1.757	0.353	51	6.8	0.00223	0.476
51	<a href="#">COMBUST THEOR MODEL</a>	1364-7830	787	1.462	1.552	0.229	48	6.6	0.00227	0.58
52	<a href="#">PARTICUOLOGY</a>	1674-2001	623	1.419	1.815	0.14	100	3.1	0.00289	0.5
53	<a href="#">J NAT GAS CHEM</a>	1003-9953	844	1.405	1.527	0.221	86	3.7	0.00264	0.348
54	<a href="#">INT J MINER PROCESS</a>	0301-7516	2604	1.378	1.695	0.149	94	9.9	0.00352	0.519
55	<a href="#">CHEM ENG TECHNOL</a>	0930-7516	3565	1.366	1.672	0.329	243	5.4	0.00938	0.472
56	<a href="#">J ENERG MATER</a>	0737-0652	311	1.341	1.318	0.045	22	8.6	0.00066	0.426
57	<a href="#">CENT EUR J ENERG MAT</a>	1733-7178	94	1.327		0	28		0.00035	
58	<a href="#">CHINESE J CATAL</a>	0253-9837	1801	1.304	1.011	0.228	267	3.8	0.00312	0.15
59	<a href="#">INT J ADHES ADHES</a>	0143-7496	2118	1.295	1.928	0.187	107	7.7	0.00365	0.499
60	<a href="#">REV CHEM ENG</a>	0167-8299	219	1.263	1.676	0.077	13	>10.0	0.00029	0.483
61	<a href="#">OIL GAS SCI TECHNOL</a>	1294-4475	884	1.258	1.367	0.216	51	6.6	0.00262	0.508
62	<a href="#">PROPELL EXPLOS PYROT</a>	0721-3115	1379	1.245	1.381	0.259	85	7.9	0.00198	0.339
63	<a href="#">POLYM ENG SCI</a>	0032-3888	8075	1.243	1.601	0.169	302	>10.0	0.00965	0.397
64	<a href="#">MINER ENG</a>	0892-6875	3978	1.207	1.519	0.218	193	7.9	0.00651	0.421

65	<a href="#">SEP SCI TECHNOL</a>	0149-6395	4351	1.164	1.203	0.214	304	8	0.0066	0.303
66	<a href="#">J LOSS PREVENT PROC</a>	0950-4230	1607	1.15	1.464	0.178	118	6.3	0.00392	0.443
67	<a href="#">ADV POLYM TECH</a>	0730-6679	622	1.096	1.157	0.1	40	>10.0	0.00063	0.31
68	<a href="#">KOREAN J CHEM ENG</a>	0256-1115	2419	1.059	1.04	0.199	261	4.7	0.00539	0.221
69	<a href="#">CHEM ENG COMMUN</a>	0098-6445	1723	1.052	0.953	0.245	98	>10.0	0.00239	0.254
70	<a href="#">COLOR RES APPL</a>	0361-2317	1050	1.012	1.073	0.104	48	>10.0	0.00148	0.363
71	<a href="#">COMBUST SCI TECHNOL</a>	0010-2202	2909	1.011	1.209	0.102	127	>10.0	0.00342	0.4
72	<a href="#">CAN J CHEM ENG</a>	0008-4034	3391	1.003	1.074	0.244	168	>10.0	0.00313	0.293
73	<a href="#">TENSIDE SURFACT DET</a>	0932-3414	366	0.981	0.77	0.05	60	7.1	0.00047	0.12
74	<a href="#">CHINESE J CHEM ENG</a>	1004-9541	1295	0.92	1.158	0.069	159	4.7	0.00367	0.274
75	<a href="#">J ADHES SCI TECHNOL</a>	0169-4243	2154	0.9	1.164	0.09	177	8.6	0.00411	0.335
76	<a href="#">COLOR TECHNOL</a>	1472-3581	603	0.899	0.981	0.132	68	6.7	0.00081	0.174
77	<a href="#">BRAZ J CHEM ENG</a>	0104-6632	832	0.894	1.112	0.154	78	6.4	0.00148	0.25
78	<a href="#">TURK J CHEM</a>	1300-0527	1033	0.888	0.929	0.253	75	7.2	0.00117	0.163
79	<a href="#">ENVIRON PROG SUSTAIN</a>	1944-7442	318	0.865	1.553	0.276	76	3.1	0.00134	0.403
81	<a href="#">J ADHESION</a>	0021-8464	1179	0.857	1.003	0.055	55	>10.0	0.00168	0.333
81	<a href="#">PART PART SYST CHAR</a>	0934-0866	640	0.857	0.938	0.049	41	>10.0	0.00076	0.3
83	<a href="#">DESALIN WATER TREAT</a>	1944-3994	1529	0.852	0.919	0.166	597	2.5	0.00351	0.129
84	<a href="#">MACED J CHEM CHEM EN</a>	1857-5552	67	0.821	0.71	0	22		0.00031	0.192
85	<a href="#">ASIA-PAC J CHEM ENG</a>	1932-2135	396	0.797	0.77	0.067	134	3.3	0.00146	0.171
86	<a href="#">KONA POWDER PART J</a>	0288-4534	217	0.763	0.99		0	7.2	0.00055	0.321
87	<a href="#">INT J CHEM REACT ENG</a>	2194-5748	678	0.739	0.793	0.057	87	4.2	0.00227	0.198
88	<a href="#">PROCESS SAF PROG</a>	1066-8527	418	0.717	0.745	0.169	71	5.9	0.00092	0.193
89	<a href="#">CHEM ENG PROG</a>	0360-7275	1611	0.712	0.711	0.254	59	>10.0	0.00113	0.245
90	<a href="#">CHEM-ING-TECH</a>	0009-286X	1189	0.698	0.522	0.068	219	8.1	0.00205	0.13
91	<a href="#">LUBR SCI</a>	0954-0075	247	0.678		0.074	27	6.9	0.00065	
92	<a href="#">INDIAN J CHEM TECHN</a>	0971-457X	503	0.628	0.597	0.017	60	6.4	0.00087	0.13
93	<a href="#">J CHEM ENG JPN</a>	0021-9592	1998	0.616	0.542	0.131	145	>10.0	0.0018	0.14
93	<a href="#">PIGM RESIN TECHNOL</a>	0369-9420	299	0.616	0.694	0.077	39	6.5	0.00036	0.115
95	<a href="#">INT POLYM PROC</a>	0930-777X	553	0.573	0.693	0.062	65	9.7	0.0009	0.194
96	<a href="#">CHEM BIOCHEM ENG Q</a>	0352-9568	395	0.569	0.664	0.021	48	6.2	0.00085	0.172
97	<a href="#">REV MEX ING QUIM</a>	1665-2738	132	0.56	0.516	0.133	45	3.6	0.00027	0.081
98	<a href="#">ADSORPT SCI TECHNOL</a>	0263-6174	631	0.559	0.568	0.044	68	8.8	0.00084	0.141
99	<a href="#">J FOOD PROCESS ENG</a>	0145-8876	753	0.558	0.816	0.087	69	7.3	0.0013	0.192

100	<a href="#">REV CHIM-BUCHAREST</a>	0034-7752	768	0.538	0.398	0.239	259	3.4	0.00115	0.048
101	<a href="#">CHEM IND CHEM ENG Q</a>	1451-9372	166	0.533		0.08	50	3.6	0.00054	
102	<a href="#">ENERG SOURCE PART A</a>	1556-7036	699	0.516	0.614	0.095	231	3.8	0.00229	0.142
103	<a href="#">ATOMIZATION SPRAY</a>	1044-5110	661	0.467	0.573	0.051	39	>10.0	0.00093	0.205
104	<a href="#">HEM IND</a>	0367-598X	132	0.463	0.317	0.053	94	2.8	0.00026	0.044
105	<a href="#">J CAN PETROL TECHNOL</a>	0021-9487	819	0.451	0.516	0.119	42	>10.0	0.00202	0.275
105	<a href="#">PETROL CHEM+</a>	0965-5441	358	0.451	0.373	0.03	99	7	0.00065	0.094
107	<a href="#">POL J CHEM TECHNOL</a>	1509-8117	127	0.444		0	26	3.7	0.00043	
108	<a href="#">PARTICUL SCI TECHNOL</a>	0272-6351	290	0.435	0.586	0.195	41	6.6	0.00058	0.15
109	<a href="#">COMBUST EXPLO SHOCK+</a>	0010-5082	1034	0.399	0.493	0.044	91	>10.0	0.00111	0.135
110	<a href="#">CHEM PROCESS ENG-INZ</a>	0208-6425	161	0.394	0.281	0.054	37	4.9	0.00039	0.069
111	<a href="#">KAGAKU KOGAKU RONBUN</a>	0386-216X	382	0.37	0.284	0.134	67	8.6	0.00039	0.046
112	<a href="#">THEOR FOUND CHEM EN+</a>	0040-5795	364	0.36	0.298	0.206	97	4.8	0.00076	0.069
113	<a href="#">AATCC REV</a>	1532-8813	205	0.354	0.297	0.067	30	8.3	0.00023	0.063
114	<a href="#">PRZEM CHEM</a>	0033-2496	556	0.344	0.305	0.097	383	3.8	0.00043	0.023
115	<a href="#">LAT AM APPL RES</a>	0327-0793	247	0.321	0.388	0.125	32	6.9	0.00052	0.115
116	<a href="#">MEMBR WATER TREAT</a>	2005-8624	20	0.317	0.317	0.1	20		0.00006	0.078
117	<a href="#">PETROL SCI TECHNOL</a>	1091-6466	650	0.3	0.358	0.062	242	5.7	0.00176	0.111
118	<a href="#">KKG-KAUT GUMMI KUNST</a>	0948-3276	465	0.292	0.438	0	57	>10.0	0.00059	0.107
119	<a href="#">CHEM ENG-NEW YORK</a>	0009-2460	274	0.284	0.173	0.069	58	>10.0	0.00032	0.06
120	<a href="#">PLAST ENG</a>	0091-9578	121	0.25	0.115			>10.0	0.0001	0.03
121	<a href="#">CHEM ENG NEWS</a>	0009-2347	1264	0.244	0.198	0.12	416	8.1	0.00248	0.067
122	<a href="#">IRAN J CHEM CHEM ENG</a>	1021-9986	164	0.238	0.359	0	59	4.8	0.00037	0.07
123	<a href="#">SCI TECHNOL ENERG MA</a>	1347-9466	40	0.222	0.193	0	33		0.00011	0.043
124	<a href="#">PERIOD POLYTECH-CHEM</a>	0324-5853	19	0.217		0	12		0.00004	
125	<a href="#">INT J OIL GAS COAL T</a>	1753-3309	35	0.209	0.353	0.25	20		0.00038	0.252
126	<a href="#">NACHR CHEM</a>	1439-9598	115	0.201	0.12	0.084	107	2.9	0.00035	0.029
127	<a href="#">SURF COAT INT</a>	1754-0925	211	0.182	0.123	0	14	>10.0	0.00001	0.011
128	<a href="#">SOLID FUEL CHEM+</a>	0361-5219	140	0.175		0.015	65	5.8	0.00026	
129	<a href="#">CHEM TECH FUELS OIL+</a>	0009-3092	161	0.116	0.105	0	73	>10.0	0.00015	0.022
130	<a href="#">HYDROCARB PROCESS</a>	0018-8190	531	0.085	0.144	0.023	87	>10.0	0.00047	0.04
131	<a href="#">CHINA PET PROCESS PE</a>	1008-6234	22	0.083	0.075	0	42		0.00007	0.019
132	<a href="#">FILTR SEPARAT</a>	0015-1882	267	0.066	0.155	0.022	46	>10.0	0.00032	0.054
133	<a href="#">CHEM PHYS CARBON</a>	0069-3138	274		3.5			>10.0	0.00005	0.762